

INDUSTRIAL COMPONENT DATA

GA040A LOVATO THREE-POLE SWITCH DISCONNECTOR, DIRECT OPERATING VERSION, 40A

Brand: LOVATO ELECTRIC | Manufacturer Part Number: GA040A



Manufacturer	LOVATO ELECTRIC
MPN / Reference	GA040A
Catalog number	10000
Category	Switch disconnecter
Minimum order	1 Pcs
Document ID	EO-C59C8E5C96
Generated	2026-07-29

Product Overview

THREE-POLE SWITCH DISCONNECTOR, DIRECT OPERATING VERSION, 40A

3P SWITCH 40A-DIRECT/DOOR COUPLING

Three-pole switch disconnecter, direct operating version, 40A

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Switch disconnectors - LOVATO ELECTRIC

Additional Product Information

GA040A

Three-pole switch disconnecter, direct operating version, 40A

Technical specifications

Type of product: Switch disconnectors Number of poles: 3 Type of operating voltage: AC IEC Conventional free air thermal current Ith [A]: 40 UL Standard: UL60947-4-1 Type of installation: Screw on plate or 35mm DIN rail Order code GA040A

Weight [g] 146

Qty. per package 5

Multiple qty. of packs per order 5

Package dimensions [mm] 083X040X080

Volume [cm³] 265.6

Bar code [EAN13] 8013975177600

HS Code 85365080

30.34 £

ETIM for GA040A Low-voltage industrial controls and switchgear (EC000216)

Feature Name

Feature Value

Device construction (EF008240)

Built-in device fixed built-in technique

Colour control element (EF007167)

Black

Type of control element (EF006976)

Long turning handle

Type of electrical connection of main circuit (EF006819)

Frame clamp

Degree of protection (IP), front side (EF003118)

IP20

Rated operating voltage (EF001435)

400 V

Version as reversing switch (EF009408)

No

Voltage release optional (EF007491)

No

Motor drive optional (EF007386)

No

Suitable for distribution board installation (EF007262)

Yes

Suitable for front mounting 4-hole (EF007247)

No

Version as maintenance-/service switch (EF006986)

Yes

Version as safety switch (EF006985)

No

Version as main switch (EF006981)

Yes

Version as emergency stop installation (EF006959)

No

Motor drive integrated (EF006697)

No

Interlockable (EF006281)

Yes

Rated permanent current at AC-23, 400 V (EF011777)

40 A

Rated permanent current at AC-21, 40...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / GA040A with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.