

INDUSTRIAL COMPONENT DATA

GE0200B LOVATO THREE-POLE SWITCH DISCONNECTOR, WITH BS FUSE HOLDER, 200A

Brand: LOVATO ELECTRIC | Manufacturer Part Number: GE0200B



Manufacturer	LOVATO ELECTRIC
MPN / Reference	GE0200B
Catalog number	10000
Category	Switch disconnecter
Minimum order	1 Pcs
Document ID	EO-CA9EE9D027
Generated	2026-08-05

Product Overview

THREE-POLE SWITCH DISCONNECTOR, WITH BS FUSE HOLDER, 200A

3P SWITCH DISCONNECTOR W/BS FUSE HOLDER

Three-pole switch disconnecter, with BS fuse holder, 200A

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Switch disconnectors - LOVATO ELECTRIC

Additional Product Information

GE0200B

Three-pole switch disconnecter, with BS fuse holder, 200A

Technical specifications

Type of product: Switch disconnectors with fuse holder
Number of poles: 3
Type of operating voltage: AC
IEC Conventional free air thermal current I_{th} [A]: 200
Type of fuse: BS
Type of installation: Screw on plate
Order code GE0200B

Weight [g] 3350

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 253X210X197

Volume [cm³] 10466

Bar code [EAN13] 8013975175774

HS Code 85365080

452.53 £

ETIM for GE0200B Low-voltage industrial controls and switchgear (EC000216)

Feature Name

Feature Value

Device construction (EF008240)

Built-in device fixed built-in technique

Type of control element (EF006976)

Door coupling rotary drive

Type of electrical connection of main circuit (EF006819)

Bolt connection

Rated operating voltage (EF001435)

400 V

Version as reversing switch (EF009408)

No

Voltage release optional (EF007491)

No

Motor drive optional (EF007386)

No

Suitable for distribution board installation (EF007262)

No

Suitable for front mounting 4-hole (EF007247)

No

Version as maintenance-/service switch (EF006986)

Yes

Version as safety switch (EF006985)

No

Version as main switch (EF006981)

Yes

Version as emergency stop installation (EF006959)

No

Motor drive integrated (EF006697)

No

Interlockable (EF006281)

No

Rated permanent current at AC-23, 400 V (EF011777)

200 A

Rated permanent current at AC-21, 400 V (EF009165)

200 A

Max. rated operation voltage Ue AC (EF007355)

690 V

Rated operation p...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / GE0200B with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.