

INDUSTRIAL COMPONENT DATA

7GN2511P GN2511P LOVATO ROTARY CAM SWITCHE, GN SERIES, P IN ENCLOSURE VERSION WITH ROTATING HANDLE. MOTOR SW..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: 7GN2511P



Manufacturer	LOVATO ELECTRIC
MPN / Reference	7GN2511P
Catalog number	GN2511P
Category	Off-load switch
Minimum order	1 Pcs
Document ID	EO-D7EAE693DE
Generated	2026-08-02

Product Overview

ROTARY CAM SWITCHE, GN SERIES, P IN ENCLOSURE VERSION WITH ROTATING HANDLE. MOTOR SWITCH, THREE-POLE REVERSING SWITCHES - SCHEME 11, 25A

Inverter III GN11 25A Mod. P 75x75

Enclosed rotary cam switch 7GN series, 3-phase motor reversing switch 25A in plastic enclosure 75X75mm with black handle

ENCLOSED ROTARY CAM SWITCH 7GN SERIES, 3-PHASE MOTOR REVERSING SWITCH 25A IN PLASTIC ENCLOSURE 75X75MM WITH BLACK HANDLE

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Rotary cam switches - LOVATO ELECTRIC

Additional Product Information

7GN2511P

Enclosed rotary cam switch 7GN series, 3-phase motor reversing switch 25A in plastic enclosure 75X75mm with black handle

Technical specifications

Type of product:Motor starting switchesSwitching diagram:11 - 3-phase motor reversing switchIEC Conventional free air thermal current Ith [A]:25Mounting form:P - Plastic enclosure with black handleSeries:7GN - round-shaped contact blockOrder code 7GN2511P

Weight [g] 299

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 086X086X125

Volume [cm³] 924.5

Bar code [EAN13] 3850144004986

HS Code 85365080

69.72 £

ETIM for 7GN2511P Low-voltage industrial controls and switchgear (EC001105)

Feature Name

Feature Value

Type of control element (EF006976)

Short thumb-grip

Type of electrical connection of main circuit (EF006819)

Screw connection

Degree of protection (IP), front side (EF003118)

IP40

Housing material (EF001596)

Plastic

Model (EF000010)

Reverser

Complete device in housing (EF007317)

Yes

Suitable for intermediate mounting (EF007264)

No

Suitable for distribution board installation (EF007262)

Yes

Suitable for front mounting (EF007246)

No

Suitable for floor mounting (EF007243)

No

With retraction in 0-position (EF002428)

No

With zero (off) position (EF001416)

Yes

Number of poles (EF001391)

6

Rated permanent current I_u (EF001389)

25 A

Rated operation power at AC-3, 400 V (EF001364)

7.5 kW

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / 7GN2511P with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.