

INDUSTRIAL COMPONENT DATA

7GN3211P GN3211P LOVATO ROTARY CAM SWITCHE, GN SERIES, P IN ENCLOSURE VERSION WITH ROTATING HANDLE. MOTOR SW..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: 7GN3211P



Manufacturer	LOVATO ELECTRIC
MPN / Reference	7GN3211P
Catalog number	GN3211P
Category	Off-load switch
Minimum order	1 Pcs
Document ID	EO-294A5DB091
Generated	2026-08-05

Product Overview

ROTARY CAM SWITCHE, GN SERIES, P IN ENCLOSURE VERSION WITH ROTATING HANDLE. MOTOR SWITCH, THREE-POLE REVERSING SWITCHES - SCHEME 11, 32A

Inverter III GN11 32A Mod. P 90x90

Enclosed rotary cam switch 7GN series, 3-phase motor reversing switch 32A in plastic enclosure 90X90mm with black handle

ENCLOSED ROTARY CAM SWITCH 7GN SERIES, 3-PHASE MOTOR REVERSING SWITCH 32A IN PLASTIC ENCLOSURE 90X90MM WITH BLACK HANDLE

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Rotary cam switches - LOVATO ELECTRIC
--------------	---

Additional Product Information

7GN3211P

Enclosed rotary cam switch 7GN series, 3-phase motor reversing switch 32A in plastic enclosure 90X90mm with black handle

Technical specifications

Type of product:Motor starting switchesSwitching diagram:11 - 3-phase motor reversing switchIEC Conventional free air thermal current Ith [A]:32Mounting form:P - Plastic enclosure with black handleSeries:7GN - round-shaped contact blockOrder code 7GN3211P

Weight [g] 482
Qty. per package 1
Multiple qty. of packs per order 1
Package dimensions [mm] 097X097X143
Volume [cm³] 1345.487
Bar code [EAN13] 3850144005327
HS Code 85365080
84.59 £
ETIM for 7GN3211P Low-voltage industrial controls and switchgear (EC001105)
Feature Name
Feature Value
Type of control element (EF006976)
Short thumb-grip
Type of electrical connection of main circuit (EF006819)
Screw connection
Degree of protection (IP), front side (EF003118)
IP40
Housing material (EF001596)
Plastic
Model (EF000010)
Reverser
Complete device in housing (EF007317)
Yes
Suitable for intermediate mounting (EF007264)
No
Suitable for distribution board installation (EF007262)
Yes
Suitable for front mounting (EF007246)
No
Suitable for floor mounting (EF007243)
No
With retraction in 0-position (EF002428)
No
With zero (off) position (EF001416)
Yes
Number of poles (EF001391)
6
Rated permanent current I_u (EF001389)
32 A
Rated operation power at AC-3, 400 V (EF001364)
11 kW

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / 7GN3211P with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.