

INDUSTRIAL COMPONENT DATA

7GN4010P GN4010P LOVATO ROTARY CAM SWITCH, GN SERIES, P VERSION IN ENCLOSURE WITH ROTATING HANDLE. ON/OFF S..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: 7GN4010P



Manufacturer	LOVATO ELECTRIC
MPN / Reference	7GN4010P
Catalog number	GN4010P
Category	Off-load switch
Minimum order	1 Pcs
Document ID	EO-276468127B
Generated	2026-08-02

Product Overview

ROTARY CAM SWITCH, GN SERIES, P VERSION IN ENCLOSURE WITH ROTATING HANDLE. ON/OFF SWITCH, THREE POLES - SCHEME 10, 40A

Switch 3 poles GN10 40 A Model P 110x110

Enclosed rotary cam switch 7GN series, ON-OFF switch 3 poles 40A in plastic enclosure 110X110mm with black handle

ENCLOSED ROTARY CAM SWITCH 7GN SERIES, ON-OFF SWITCH 3 POLES 40A IN PLASTIC ENCLOSURE 110X110MM WITH BLACK HANDLE

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Rotary cam switches - LOVATO ELECTRIC
--------------	---

Additional Product Information

7GN4010P

Enclosed rotary cam switch 7GN series, ON-OFF switch 3 poles 40A in plastic enclosure 110X110mm with black handle
Type of product: ON/OFF switches

Switching diagram: 10 - ON/OFF switch 3 poles

IEC Conventional free air thermal current I_{th} [A]: 40

Mounting form: P - Plastic enclosure with black handle

Series: 7GN - round-shaped contact block

Order code 7GN4010P

Weight [g] 453
Qty. per package 1
Multiple qty. of packs per order 1
Package dimensions [mm] 118X118X136
Volume [cm³] 1893.664
Bar code [EAN13] 3850144005402
HS Code 85365080
95.39 £
ETIM for 7GN4010P Low-voltage industrial controls and switchgear (EC001105)
Feature Name
Feature Value
Type of control element (EF006976)
Short thumb-grip
Type of electrical connection of main circuit (EF006819)
Screw connection
Degree of protection (IP), front side (EF003118)
IP40
Housing material (EF001596)
Plastic
Model (EF000010)
On/Off switch
Complete device in housing (EF007317)
Yes
Suitable for intermediate mounting (EF007264)
No
Suitable for distribution board installation (EF007262)
Yes
Suitable for front mounting (EF007246)
No
Suitable for floor mounting (EF007243)
No
With retraction in 0-position (EF002428)
No
With zero (off) position (EF001416)
Yes
Number of poles (EF001391)
4
Rated permanent current I_u (EF001389)
40 A
Rated operation power at AC-3, 400 V (EF001364)
15 kW

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / 7GN4010P with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.