

INDUSTRIAL COMPONENT DATA

7GN12510U65 GN12510U65 LOVATO ROTARY CAM SWITCHES, GN SERIES, U25-U65 VERSION FRONT MOUNT WITH PADLOCK SYSTEM..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: 7GN12510U65



Manufacturer	LOVATO ELECTRIC
MPN / Reference	7GN12510U65
Catalog number	GN12510U65
Category	Off-load switch
Minimum order	1 Pcs
Document ID	EO-1B1A2C510A
Generated	2026-07-29

Product Overview

ROTARY CAM SWITCHES, GN SERIES, U25-U65 VERSION FRONT MOUNT WITH PADLOCK SYSTEM, RED/YELLOW. ON/OFF SWITCH, THREE-POLE - 2 WAFERS - SCHEME 10, 125A

III GN10 125A Switch Mod. U65 90x90

Rotary cam switch 7GN series, ON-OFF switch 3 poles 125A, for front mounting with red/yellow handle padlockable in 0 and protection covers, front plate 90X90mm

ROTARY CAM SWITCH 7GN SERIES, ON-OFF SWITCH 3 POLES 125A, FOR FRONT MOUNTING WITH RED/YELLOW HANDLE PADLOCKABLE IN 0 AND PROTECTION COVERS, FRONT PLATE 90X90MM

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Rotary cam switches - LOVATO ELECTRIC
--------------	---

Additional Product Information

7GN12510U65

Rotary cam switch 7GN series, ON-OFF switch 3 poles 125A, for front mounting with red/yellow handle padlockable in 0 and protection covers, front plate 90X90mm

Technical specifications

Type of product:ON/OFF switchesSwitching diagram:10 - ON/OFF switch 3 polesIEC Conventional free air thermal current
Ith [A]:125Mounting form:U65 - Front mounting with red/yellow handle padlockable in 0 and protection coversSeries:7GN - round-shaped contact blockOrder code 7GN12510U65

Weight [g] 760

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 097X097X179

Volume [cm³] 1684.211

Bar code [EAN13] 3850144005723

HS Code 85365080

271.96 £

ETIM for 7GN12510U65 Low-voltage industrial controls and switchgear (EC001105)

Feature Name

Feature Value

Type of control element (EF006976)

Short thumb-grip

Type of electrical connection of main circuit (EF006819)

Screw connection

Degree of protection (IP), front side (EF003118)

IP40

Housing material (EF001596)

Plastic

Model (EF000010)

On/Off switch

Complete device in housing (EF007317)

Yes

Suitable for intermediate mounting (EF007264)

No

Suitable for distribution board installation (EF007262)

Yes

Suitable for front mounting (EF007246)

Yes

Suitable for floor mounting (EF007243)

No

With retraction in 0-position (EF002428)

No

With zero (off) position (EF001416)

Yes

Number of poles (EF001391)

4

Rated permanent current I_u (EF001389)

125 A

Rated operation power at AC-3, 400 V (EF001364)

37 kW

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / 7GN12510U65 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.