

INDUSTRIAL COMPONENT DATA

PMV40A240 LOVATO VOLTAGE MONITORING RELAY FOR THREE-PHASE SYSTEM, WITHOUT NEUTRAL, ASYMMETRY. PHASE LOSS AND..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: PMV40A240



Manufacturer	LOVATO ELECTRIC
MPN / Reference	PMV40A240
Catalog number	10000
Category	Voltage monitoring relay
Minimum order	1 Pcs
Document ID	EO-FEDBA5DAB8
Generated	2026-08-04

Product Overview

VOLTAGE MONITORING RELAY FOR THREE-PHASE SYSTEM, WITHOUT NEUTRAL, ASYMMETRY. PHASE LOSS AND INCORRECT PHASE SEQUENCE, 208...240VAC 50/60HZ

3PH SYSTEM MULTIF.PROTECTION 208/240V

Voltage monitoring realy for three-phase system, without neutral, asymmetry. Phase loss and incorrect phase sequence, 208...240VAC 50/60Hz

VOLTMETRIC RELAY FOR THREE-PHASE SYSTEM WITHOUT NEUTRAL, INCORRECT ASYMMETRY. PHASE FAILURE AND INCORRECT PHASE SEQUENCE, 208...240VAC 50/60HZ

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Protection relays - LOVATO ELECTRIC
--------------	---

Additional Product Information

PMV40A240

Voltage monitoring realy for three-phase system, without neutral, asymmetry. Phase loss and incorrect phase sequence, 208...240VAC 50/60Hz

Technical specifications

Type of product:Voltage monitoring relaysType of system:Three-phase without neutralNumber of relay outputs:1Rated supply voltage:Self poweredProgramming mode:PotentiometersOrder code PMV40A240

Weight [g] 134

Qty. per package 1
Multiple qty. of packs per order 1
Package dimensions [mm] 095X040X075
Volume [cm³] 285
Bar code [EAN13] 8013975142172
HS Code 85364900
244.63 £
ETIM for PMV40A240 Relays (EC001438)
Feature Name
Feature Value
Type of electric connection (EF003961)
Screw connection
Type of voltage measuring range (EF003399)
AC
Voltage measuring range 1 (EF006134)
146 V
Contains function DC-voltage hysteresis (EF003398)
No
Contains function DC-over voltage (EF003397)
No
Contains function DC-under voltage (EF003396)
No
Three-phase hysteresis possible (EF003395)
Yes
Single-phase hysteresis possible (EF003394)
No
Three-phase over voltage possible (EF003393)
No
Single-phase over voltage possible (EF003392)
No
Three-phase under voltage possible (EF003391)
No
Single-phase under voltage possible (EF003390)
No
With detachable clamps (EF003340)
No
Number of contacts as change-over contact (EF008257)
1
Number of contacts as normally open contact (EF008256)
0
Number of contacts as normally closed contact (EF008255)
0
Min. adjustable off-delay time (EF008192)
0.1 s
Max. permitted off-delay time (EF008191)
20 s
M...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / PMV40A240 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.