

INDUSTRIAL COMPONENT DATA

DMED300T2 LOVATO ENERGY METER, THREE PHASE WITH NEUTRAL, NON EXPANDABLE, 80A DIRECT CONNECTION, 4U, 2 PROGRA..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: DMED300T2



Manufacturer	LOVATO ELECTRIC
MPN / Reference	DMED300T2
Catalog number	10000
Category	Kilowatt-hour meter
Minimum order	1 Pcs
Document ID	EO-B167DCCAC4
Generated	2026-08-02

Product Overview

ENERGY METER, THREE PHASE WITH NEUTRAL, NON EXPANDABLE, 80A DIRECT CONNECTION, 4U, 2 PROGRAMMABLE STATIC OUTPUTS, MULTI-MEASUREMENTS

3PH 2O DIRECT ENERGY METER

Energy meter, three-phase with neutral, non expandable, 80A direct connection, 4U, 2 programmable static outputs, multi-measurements

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Metering instruments and current transformers - LOVATO ELECTRIC

Additional Product Information

DMED300T2

Energy meter, three-phase with neutral, non expandable, 80A direct connection, 4U, 2 programmable static outputs, multi-measurements

Technical specifications

Type of product:Energy meters - Three-phaseType of installation:DIN rail mountingType of current connection:DirectIEC maximum current (Imax) [A]:80Type of energy measurement:Imported/exported active energy and imported/exported reactive energyAccuracy active energy measurement:Class 1 (IEC/EN 62053-21)Reactive energy:Class 2 (IEC/EN 62053-23)Current harmonic analysis:NoBuilt-in communication port:NoExpandable:NoMID certified:NoOrder code DMED300T2

Weight [g] 360
Qty. per package 1
Multiple qty. of packs per order 1
Package dimensions [mm] 150X110X090
Volume [cm³] 1485
Bar code [EAN13] 8013975182154
HS Code 90283019
211.25 £
ETIM for DMED300T2 Meters (EC001506)
Feature Name
Feature Value
Pole type (EF008843)
Four conductor
Accuracy class (EF008842)
B
Pulse output (EF008838)
Optic
Tariff control (EF008834)
External
Tariff type (EF007550)
Two-tariff
Energy type (EF007135)
Effective power and reactive power
Type of interface (EF006977)
None
Degree of protection (IP) (EF005474)
IP20
Type of meter (EF005441)
Electronic
Type of indication (EF000306)
Digital
Suitable for (EF000073)
Purchase/supply
Model (EF000010)
Direct measurement
Mounting method (EF000003)
DRA (DIN-rail adapter)
Nominal voltage (Un) L-L (EF008872)
380 V
Nominal voltage (Un) N-L (EF008871)
220 V
Pulse rate (EF008840)
1000 Imp/kWh (kvarh)
Frequency (...)

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / DMED300T2 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.