

## INDUSTRIAL COMPONENT DATA

# GX2013U LOVATO ROTARY CAM SWITCHE, GX SERIES, U VERSION FRONT MOUNT. MOTOR SWITCH, POLE-CHANGING SWITCHES. 4..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: GX2013U



|                 |                 |
|-----------------|-----------------|
| Manufacturer    | LOVATO ELECTRIC |
| MPN / Reference | GX2013U         |
| Catalog number  | 10000           |
| Category        | Off-load switch |
| Minimum order   | 1 Pcs           |
| Document ID     | EO-0556433EC1   |
| Generated       | 2026-08-01      |

## Product Overview

ROTARY CAM SWITCHE, GX SERIES, U VERSION FRONT MOUNT. MOTOR SWITCH, POLE-CHANGING SWITCHES. 4 WAFERS - SCHEME 13, 20A

3POS POLE CHANGING SWITCH GX2013U FRONT

Rotary cam switch GX series, Dahlander motor control switch 1-0-2, 20A, for front mounting with black handle, front plate 48X48mm

ROTARY CAM SWITCH GX SERIES, DAHLANDER MOTOR CONTROL SWITCH 1-0-2 20A, FOR FRONT MOUNTING WITH BLACK HANDLE, FRONT PLATE 48X48MM

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

|              |                                                         |
|--------------|---------------------------------------------------------|
| Catalog path | LOVATO ELECTRIC > Rotary cam switches - LOVATO ELECTRIC |
|--------------|---------------------------------------------------------|

## Additional Product Information

GX2013U

Rotary cam switch GX series, Dahlander motor control switch 1-0-2, 20A, for front mounting with black handle, front plate 48X48mm

Technical specifications

Type of product:Motor starting switchesSwitching diagram:13 - Dahlander motor control switch 1-0-2IEC Conventional free air thermal current Ith [A]:20Mounting form:U - Front mounting with black handleSeries:GX - square-shaped contact blockOrder code GX2013U

Weight [g] 168

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 050X068X099

Volume [cm<sup>3</sup>] 336.6

Bar code [EAN13] 8013975101094

HS Code 85365080

52.23 £

ETIM for GX2013U Low-voltage industrial controls and switchgear (EC001105)

Feature Name

Feature Value

Type of control element (EF006976)

Short thumb-grip

Type of electrical connection of main circuit (EF006819)

Screw connection

Degree of protection (IP), front side (EF003118)

IP65

Housing material (EF001596)

Plastic

Model (EF000010)

Reversing Dahlander switch

Complete device in housing (EF007317)

Yes

Suitable for intermediate mounting (EF007264)

No

Suitable for distribution board installation (EF007262)

Yes

Suitable for front mounting (EF007246)

Yes

Suitable for floor mounting (EF007243)

No

With retraction in 0-position (EF002428)

No

With zero (off) position (EF001416)

Yes

Number of poles (EF001391)

8

Rated permanent current I<sub>u</sub> (EF001389)

20 A

Rated operation power at AC-3, 400 V (EF001364)

5.5 kW

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / GX2013U with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.