

## INDUSTRIAL COMPONENT DATA

# 7GN12513U GN12513U LOVATO ROTARY CAM SWITCHE, GN SERIES, U VERSION FRONT MOUNT. MOTOR SWITCH, POLE CHANGING ..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: 7GN12513U



|                 |                 |
|-----------------|-----------------|
| Manufacturer    | LOVATO ELECTRIC |
| MPN / Reference | 7GN12513U       |
| Catalog number  | GN12513U        |
| Category        | Off-load switch |
| Minimum order   | 1 Pcs           |
| Document ID     | EO-0BB3735381   |
| Generated       | 2026-08-03      |

## Product Overview

ROTARY CAM SWITCHE, GN SERIES, U VERSION FRONT MOUNT. MOTOR SWITCH, POLE CHANGING SWITCHES - 4 WAFERS - SCHEME 13, 125A

Conn. 2 Speed. GN13 125A Mod. U 90x90

Rotary cam switch 7GN series, Dahlander motor control switch 1-0-2, 125A, for front mounting with black handle, front plate 90X90mm

ROTARY CAM SWITCH 7GN SERIES, DAHLANDER MOTOR CONTROL SWITCH 1-0-2 125A, FOR FRONT MOUNTING WITH BLACK HANDLE, FRONT PLATE 90X90MM

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Rotary cam switches - LOVATO ELECTRIC

## Additional Product Information

7GN12513U

Rotary cam switch 7GN series, Dahlander motor control switch 1-0-2, 125A, for front mounting with black handle, front plate 90X90mm

Technical specifications

Type of product:Motor starting switchesSwitching diagram:13 - Dahlander motor control switch 1-0-2IEC Conventional free air thermal current Ith [A]:125Mounting form:U - Front mounting with black handleSeries:7GN - round-shaped contact blockOrder code 7GN12513U

Weight [g] 1301  
Qty. per package 1  
Multiple qty. of packs per order 1  
Package dimensions [mm] 097X097X215  
Volume [cm³] 2022.935  
Bar code [EAN13] 3850144005785  
HS Code 85365080  
518.76 £  
ETIM for 7GN12513U Low-voltage industrial controls and switchgear (EC001105)  
Feature Name  
Feature Value  
Type of control element (EF006976)  
Short thumb-grip  
Type of electrical connection of main circuit (EF006819)  
Screw connection  
Degree of protection (IP), front side (EF003118)  
IP40  
Housing material (EF001596)  
Plastic  
Model (EF000010)  
Reversing Dahlander switch  
Complete device in housing (EF007317)  
Yes  
Suitable for intermediate mounting (EF007264)  
No  
Suitable for distribution board installation (EF007262)  
Yes  
Suitable for front mounting (EF007246)  
Yes  
Suitable for floor mounting (EF007243)  
No  
With retraction in 0-position (EF002428)  
No  
With zero (off) position (EF001416)  
Yes  
Number of poles (EF001391)  
8  
Rated permanent current I<sub>u</sub> (EF001389)  
125 A  
Rated operation power at AC-3, 400 V (EF001364)  
37 kW

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / 7GN12513U with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.