

## INDUSTRIAL COMPONENT DATA

# 7GN2092P25 GN2092P25 LOVATO ROTARY CAM SWITCHE, GN SERIES, P25 VERSION IN ENCLOSURE WITH PADLOCKABLE ROTATING HANDLE..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: 7GN2092P25



|                 |                 |
|-----------------|-----------------|
| Manufacturer    | LOVATO ELECTRIC |
| MPN / Reference | 7GN2092P25      |
| Catalog number  | GN2092P25       |
| Category        | Off-load switch |
| Minimum order   | 1 Pcs           |
| Document ID     | EO-F4DB79BDEF   |
| Generated       | 2026-07-31      |

## Product Overview

ROTARY CAM SWITCHE, GN SERIES, P25 VERSION IN ENCLOSURE WITH PADLOCKABLE ROTATING HANDLE.  
ON/OFF SWITCH, FOUR POLES - SCHEME 92, 20A  
IIII GN92 20A Switch Mod. P25 90x90  
Enclosed rotary cam switch 7GN series, ON-OFF switch 4 poles 20A in plastic enclosure 90X90mm with red/yellow handle

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

|              |                                                         |
|--------------|---------------------------------------------------------|
| Catalog path | LOVATO ELECTRIC > Rotary cam switches - LOVATO ELECTRIC |
|--------------|---------------------------------------------------------|

## Additional Product Information

7GN2092P25

Enclosed rotary cam switch 7GN series, ON-OFF switch 4 poles 20A in plastic enclosure 90X90mm with red/yellow handle  
Technical specifications

Type of product:ON/OFF switchesSwitching diagram:92 - ON/OFF switch 4 polesIEC Conventional free air thermal current  
Ith [A]:20Mounting form:P25 - Plastic enclosure with red/yellow handleSeries:7GN - round-shaped contact blockOrder code  
7GN2092P25

Weight [g] 314

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 097X097X143

Volume [cm<sup>3</sup>] 1345.487

Bar code [EAN13] 3850144004504

HS Code 85365080

54.42 £

ETIM for 7GN2092P25 Low-voltage industrial controls and switchgear (EC001105)

Feature Name

Feature Value

Type of control element (EF006976)

Short thumb-grip

Type of electrical connection of main circuit (EF006819)

Screw connection

Degree of protection (IP), front side (EF003118)

IP40

Housing material (EF001596)

Plastic

Model (EF000010)

On/Off switch

Complete device in housing (EF007317)

Yes

Suitable for intermediate mounting (EF007264)

No

Suitable for distribution board installation (EF007262)

Yes

Suitable for front mounting (EF007246)

No

Suitable for floor mounting (EF007243)

No

With retraction in 0-position (EF002428)

No

With zero (off) position (EF001416)

Yes

Number of poles (EF001391)

4

Rated permanent current I<sub>u</sub> (EF001389)

20 A

Rated operation power at AC-3, 400 V (EF001364)

5.5 kW

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / 7GN2092P25 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.