

## INDUSTRIAL COMPONENT DATA

# 7GN1292U11 GN1292U11 LOVATO ROTARY CAM SWITCHES, GN SERIES, U11 VERSION FRONT MOUNT WITH HANDLE OPERATION FOR..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: 7GN1292U11



|                 |                 |
|-----------------|-----------------|
| Manufacturer    | LOVATO ELECTRIC |
| MPN / Reference | 7GN1292U11      |
| Catalog number  | GN1292U11       |
| Category        | Off-load switch |
| Minimum order   | 1 Pcs           |
| Document ID     | EO-FDFBE53136   |
| Generated       | 2026-08-05      |

## Product Overview

ROTARY CAM SWITCHES, GN SERIES, U11 VERSION FRONT MOUNT WITH HANDLE OPERATION FOR 22MM CENTRAL FIXING. ON/OFF SWITCH, FOUR-POLE - 2 WAFERS - SCHEME 92, 16A

IIII GN92 16A Switch Mod. U11 Ø22

Rotary cam switch 7GN series, ON-OFF switch 4 poles 16A, for front mounting with black handle without front plate for hole Ø22mm fixing

ROTARY CAM SWITCH 7GN SERIES, ON-OFF SWITCH 4 POLES 16A, FOR FRONT MOUNTING WITH BLACK HANDLE WITHOUT FRONT PLATE FOR HOLE DIAM. 22MM FIXING

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Rotary cam switches - LOVATO ELECTRIC

## Additional Product Information

7GN1292U11

Rotary cam switch 7GN series, ON-OFF switch 4 poles 16A, for front mounting with black handle without front plate for hole Ø22mm fixing

Technical specifications

Type of product: ON/OFF switches Switching diagram: 92 - ON/OFF switch 4 poles IEC Conventional free air thermal current I<sub>th</sub> [A]: 16 Mounting form: U11 - Front mounting with black handle without front plate for hole diam. 22mm fixing Series: 7GN - round-shaped contact block Order code 7GN1292U11

Weight [g] 94  
Qty. per package 1  
Multiple qty. of packs per order 1  
Package dimensions [mm] 050X050X082  
Volume [cm³] 205  
Bar code [EAN13] 3850144004054  
HS Code 85365080  
37.3 £  
ETIM for 7GN1292U11 Low-voltage industrial controls and switchgear (EC001105)  
Feature Name  
Feature Value  
Type of control element (EF006976)  
Short thumb-grip  
Type of electrical connection of main circuit (EF006819)  
Screw connection  
Degree of protection (IP), front side (EF003118)  
IP40  
Housing material (EF001596)  
Plastic  
Model (EF000010)  
On/Off switch  
Complete device in housing (EF007317)  
Yes  
Suitable for intermediate mounting (EF007264)  
No  
Suitable for distribution board installation (EF007262)  
Yes  
Suitable for front mounting (EF007246)  
Yes  
Suitable for floor mounting (EF007243)  
No  
With retraction in 0-position (EF002428)  
No  
With zero (off) position (EF001416)  
Yes  
Number of poles (EF001391)  
4  
Rated permanent current I<sub>u</sub> (EF001389)  
16 A  
Rated operation power at AC-3, 400 V (EF001364)  
4 kW

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / 7GN1292U11 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.