

INDUSTRIAL COMPONENT DATA

7GN2592U11 GN2592U11 LOVATO 4-pole switch 25A Model GN92 U11 Ø 22mm

Brand: LOVATO ELECTRIC | Manufacturer Part Number: 7GN2592U11



Manufacturer	LOVATO ELECTRIC
MPN / Reference	7GN2592U11
Catalog number	GN2592U11
Category	Selector switch, complete
Minimum order	1 Pcs
Document ID	EO-8BE55E9EA5
Generated	2026-08-04

Product Overview

4-pole switch 25A Model GN92 U11 Ø 22mm

4-pole switch GN92 25 A Mod. U11 Ø 22mm

Rotary cam switch 7GN series, ON-OFF switch 4 poles 25A, for front mounting with black handle without front plate for hole Ø22mm fixing

ROTARY CAM SWITCH 7GN SERIES, ON-OFF SWITCH 4 POLES 25A, FOR FRONT MOUNTING WITH BLACK HANDLE WITHOUT FRONT PLATE FOR HOLE DIAM. 22MM FIXING

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Rotary cam switches - LOVATO ELECTRIC

Additional Product Information

7GN2592U11

Rotary cam switch 7GN series, ON-OFF switch 4 poles 25A, for front mounting with black handle without front plate for hole Ø22mm fixing

Technical specifications

Type of product:ON/OFF switchesSwitching diagram:92 - ON/OFF switch 4 polesIEC Conventional free air thermal current Ith [A]:25Mounting form:U11 - Front mounting with black handle without front plate for hole diam. 22mm fixingSeries:7GN - round-shaped contact blockOrder code 7GN2592U11

Weight [g] 0.01

Qty. per package 0

Multiple qty. of packs per order 0

Package dimensions [mm]

Volume [cm³] 0

Bar code [EAN13] 3850144044418

HS Code 85365080

ETIM for 7GN2592U11 Low-voltage industrial controls and switchgear (EC001029)

Feature Name

Feature Value

Type of control element (EF006976)

Short thumb-grip

Material front ring (EF005972)

Plastic

Degree of protection (IP) (EF005474)

IP40

Type of electric connection (EF003961)

Screw connection

With front ring (EF006014)

No

With light source (EF005905)

No

Spring-return (EF001407)

No

Suitable for lighting (EF001142)

No

Number of contacts as change-over contact (EF008257)

0

Number of contacts as normally open contact (EF008256)

2

Number of contacts as normally closed contact (EF008255)

0

Height opening (EF004778)

22 mm

Width opening (EF004565)

22 mm

Number of switch positions (EF000231)

2

Hole diameter (EF000079)

22 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / 7GN2592U11 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.