

INDUSTRIAL COMPONENT DATA

GX1692P LOVATO ROTARY CAM SWITCHE, GX SERIES, P VERSION IN ENCLOSURE WITH ROTATING HANDLE. ON/OFF SWITCH, FO..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: GX1692P



Manufacturer	LOVATO ELECTRIC
MPN / Reference	GX1692P
Catalog number	10000
Category	Off-load switch
Minimum order	1 Pcs
Document ID	EO-E53B7D3321
Generated	2026-08-06

Product Overview

ROTARY CAM SWITCHE, GX SERIES, P VERSION IN ENCLOSURE WITH ROTATING HANDLE. ON/OFF SWITCH, FOUR POLES - SCHEME 92, 16A

4P 2POS SWITCH GX1692P ENCLOSURE MOUNTING

Enclosed rotary cam switch GX series, ON-OFF switch 4 poles 16A in plastic enclosure 90X90mm with black handle

ENCLOSED ROTARY CAM SWITCH GX SERIES, ON-OFF SWITCH 4 POLES 16A IN PLASTIC ENCLOSURE 90X90MM WITH BLACK HANDLE

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Rotary cam switches - LOVATO ELECTRIC

Additional Product Information

GX1692P

Enclosed rotary cam switch GX series, ON-OFF switch 4 poles 16A in plastic enclosure 90X90mm with black handle

Technical specifications

Type of product: ON/OFF switches Switching diagram: 92 - ON/OFF switch 4 poles IEC Conventional free air thermal current

Ith [A]: 16 Mounting form: P - Plastic enclosure with black handle Series: GX - square-shaped contact block Order code

GX1692P

Weight [g] 340

Qty. per package 1

Multiple qty. of packs per order 1
Package dimensions [mm] 050X068X082
Volume [cm³] 278.8
Bar code [EAN13] 8013975100882
HS Code 85365080
Discover more about LOVATO Electric rotary cam switches44.62 £
ETIM for GX1692P Low-voltage industrial controls and switchgear (EC001105)
Feature Name
Feature Value
Type of control element (EF006976)
Short thumb-grip
Type of electrical connection of main circuit (EF006819)
Screw connection
Degree of protection (IP), front side (EF003118)
IP65
Housing material (EF001596)
Plastic
Model (EF000010)
On/Off switch
Complete device in housing (EF007317)
Yes
Suitable for intermediate mounting (EF007264)
No
Suitable for distribution board installation (EF007262)
Yes
Suitable for front mounting (EF007246)
No
Suitable for floor mounting (EF007243)
No
With retraction in 0-position (EF002428)
No
With zero (off) position (EF001416)
Yes
Number of poles (EF001391)
4
Rated permanent current I_u (EF001389)
16 A
Rated operation power at AC-3, 400 V (EF001364)
4.5 kW

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / GX1692P with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.