

INDUSTRIAL COMPONENT DATA

GX4092P LOVATO ROTARY CAM SWITCHE, GX SERIES, P VERSION IN ENCLOSURE WITH ROTATING HANDLE. ON/OFF SWITCH, FO..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: GX4092P



Manufacturer	LOVATO ELECTRIC
MPN / Reference	GX4092P
Catalog number	10000
Category	Off-load switch
Minimum order	1 Pcs
Document ID	EO-183213B8AC
Generated	2026-08-02

Product Overview

ROTARY CAM SWITCHE, GX SERIES, P VERSION IN ENCLOSURE WITH ROTATING HANDLE. ON/OFF SWITCH, FOUR POLES - SCHEME 92, 40A

4P 2POS.CAM SWITCH W/HOUSING

Enclosed rotary cam switch GX series, ON-OFF switch 4 poles 40A in plastic enclosure 110X110mm with black handle

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Rotary cam switches - LOVATO ELECTRIC

Additional Product Information

GX4092P

Enclosed rotary cam switch GX series, ON-OFF switch 4 poles 40A in plastic enclosure 110X110mm with black handle

Technical specifications

Type of product:ON/OFF switchesSwitching diagram:92 - ON/OFF switch 4 polesIEC Conventional free air thermal current

Ith [A]:40Mounting form:P - Plastic enclosure with black handleSeries:GX - square-shaped contact blockOrder code

GX4092P

Weight [g] 575

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 118X118X137

Volume [cm³] 1907.588

Bar code [EAN13] 8013975104330

HS Code 85365080

110.38 £

ETIM for GX4092P Low-voltage industrial controls and switchgear (EC001105)

Feature Name

Feature Value

Type of control element (EF006976)

Short thumb-grip

Type of electrical connection of main circuit (EF006819)

Screw connection

Degree of protection (IP), front side (EF003118)

IP65

Housing material (EF001596)

Plastic

Model (EF000010)

On/Off switch

Complete device in housing (EF007317)

Yes

Suitable for intermediate mounting (EF007264)

No

Suitable for distribution board installation (EF007262)

Yes

Suitable for front mounting (EF007246)

No

Suitable for floor mounting (EF007243)

No

With retraction in 0-position (EF002428)

No

With zero (off) position (EF001416)

Yes

Number of poles (EF001391)

4

Rated permanent current I_u (EF001389)

40 A

Rated operation power at AC-3, 400 V (EF001364)

15 kW

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / GX4092P with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.