

INDUSTRIAL COMPONENT DATA

7GN1292O48 GN1292O48 LOVATO 4-pole switch 12A Model O48 DIN GN92

Brand: LOVATO ELECTRIC | Manufacturer Part Number: 7GN1292O48



Manufacturer	LOVATO ELECTRIC
MPN / Reference	7GN1292O48
Catalog number	GN1292O48
Category	Selector switch, complete
Minimum order	1 Pcs
Document ID	EO-E30261FEE4
Generated	2026-08-02

Product Overview

4-pole switch 12A Model O48 DIN GN92

IIII GN92 16A Switch Mod. O48 DIN

Rotary cam switch 7GN series, ON-OFF switch 4 poles 16A, modular service cover for 35mm DIN rail mounting with black handle, front plate 45X54mm

ROTARY CAM SWITCH 7GN SERIES, ON-OFF SWITCH 4 POLES 16A, MODULAR SERVICE COVER FOR 35MM DIN RAIL MOUNTING WITH BLACK HANDLE, FRONT PLATE 45X54MM

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Rotary cam switches - LOVATO ELECTRIC

Additional Product Information

7GN1292O48

Rotary cam switch 7GN series, ON-OFF switch 4 poles 16A, modular service cover for 35mm DIN rail mounting with black handle, front plate 45X54mm

Technical specifications

Type of product:ON/OFF switchesSwitching diagram:92 - ON/OFF switch 4 polesIEC Conventional free air thermal current

Ith [A]:16Mounting form:O48 - Modular service cover for 35mm din rail mounting with black handleSeries:7GN -

round-shaped contact blockOrder code 7GN1292O48

Weight [g] 116

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 050X050X102

Volume [cm³] 255

Bar code [EAN13] 3850144007017

HS Code 85365080

ETIM for 7GN1292O48 Low-voltage industrial controls and switchgear (EC001029)

Feature Name

Feature Value

Type of control element (EF006976)

Short thumb-grip

Material front ring (EF005972)

Plastic

Degree of protection (IP) (EF005474)

IP40

Type of electric connection (EF003961)

Screw connection

With front ring (EF006014)

No

With light source (EF005905)

No

Spring-return (EF001407)

No

Suitable for lighting (EF001142)

No

Number of contacts as change-over contact (EF008257)

0

Number of contacts as normally open contact (EF008256)

2

Number of contacts as normally closed contact (EF008255)

0

Height opening (EF004778)

45 mm

Width opening (EF004565)

54 mm

Number of switch positions (EF000231)

2

Hole diameter (EF000079)

45 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / 7GN1292O48 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.