

INDUSTRIAL COMPONENT DATA

7GN3275U GN3275U LOVATO ROTARY CAM SWITCHE, GN SERIES, U VERSION, FRONT MOUNT. CHANGEOVER SWITCH WITH 0 (OFF)..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: 7GN3275U



Manufacturer	LOVATO ELECTRIC
MPN / Reference	7GN3275U
Catalog number	GN3275U
Category	Off-load switch
Minimum order	1 Pcs
Document ID	EO-76A440520C
Generated	2026-08-01

Product Overview

ROTARY CAM SWITCHE, GN SERIES, U VERSION, FRONT MOUNT. CHANGEOVER SWITCH WITH 0 (OFF),

FOUR-POLE - 4 WAFERS - SCHEME 75, 32A

Conmutador IIII "1-0-2" GN75 32A Mod. U 65x65

Rotary cam switch 7GN series, changeover switch 4 poles 32A, for front mounting with black handle, front plate 65X65mm

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Rotary cam switches - LOVATO ELECTRIC

Additional Product Information

7GN3275U

Rotary cam switch 7GN series, changeover switch 4 poles 32A, for front mounting with black handle, front plate 65X65mm

Technical specifications

Type of product:Changeover switchesSwitching diagram:75 - Changeover switch 4 polesIEC Conventional free air thermal current Ith [A]:32Mounting form:U - Front mounting with black handleSeries:7GN - round-shaped contact blockOrder code 7GN3275U

Weight [g] 334

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 068X068X132

Volume [cm³] 610.368
Bar code [EAN13] 3850144003897
HS Code 85365080
94.04 £
ETIM for 7GN3275U Low-voltage industrial controls and switchgear (EC001105)
Feature Name
Feature Value
Type of control element (EF006976)
Short thumb-grip
Type of electrical connection of main circuit (EF006819)
Screw connection
Degree of protection (IP), front side (EF003118)
IP40
Housing material (EF001596)
Plastic
Model (EF000010)
On/Off switch
Complete device in housing (EF007317)
Yes
Suitable for intermediate mounting (EF007264)
No
Suitable for distribution board installation (EF007262)
Yes
Suitable for front mounting (EF007246)
Yes
Suitable for floor mounting (EF007243)
No
With retraction in 0-position (EF002428)
No
With zero (off) position (EF001416)
Yes
Number of poles (EF001391)
8
Rated permanent current I_u (EF001389)
32 A
Rated operation power at AC-3, 400 V (EF001364)
11 kW

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / 7GN3275U with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.