

## INDUSTRIAL COMPONENT DATA

# GX4075U LOVATO ROTARY CAM SWITCHE, GX SERIES, U VERSION FRONT MOUNT. CHANGEOVER SWITCH WITH 0 POSITION, FOUR..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: GX4075U



|                 |                 |
|-----------------|-----------------|
| Manufacturer    | LOVATO ELECTRIC |
| MPN / Reference | GX4075U         |
| Catalog number  | 10000           |
| Category        | Off-load switch |
| Minimum order   | 1 Pcs           |
| Document ID     | EO-A9C76457FF   |
| Generated       | 2026-08-05      |

## Product Overview

ROTARY CAM SWITCHE, GX SERIES, U VERSION FRONT MOUNT. CHANGEOVER SWITCH WITH 0 POSITION, FOUR-POLE - 4 WAFERS - SCHEME 75, 40A

4P 3POS SWITCH GX4075U FRONT MOUNTING

Rotary cam switch GX series, changeover switch 4 poles 40A, for front mounting with black handle, front plate 65X65mm

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

|              |                                                         |
|--------------|---------------------------------------------------------|
| Catalog path | LOVATO ELECTRIC > Rotary cam switches - LOVATO ELECTRIC |
|--------------|---------------------------------------------------------|

## Additional Product Information

GX4075U

Rotary cam switch GX series, changeover switch 4 poles 40A, for front mounting with black handle, front plate 65X65mm

Technical specifications

Type of product:Changeover switchesSwitching diagram:75 - Changeover switch 4 polesIEC Conventional free air thermal current I<sub>th</sub> [A]:40Mounting form:U - Front mounting with black handleSeries:GX - square-shaped contact blockOrder code GX4075U

Weight [g] 368

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 068X068X130

Volume [cm<sup>3</sup>] 601.12

Bar code [EAN13] 8013975104286

HS Code 85365080

Discover more about LOVATO Electric rotary cam switches140.5 £

ETIM for GX4075U Low-voltage industrial controls and switchgear (EC001105)

Feature Name

Feature Value

Type of control element (EF006976)

Short thumb-grip

Type of electrical connection of main circuit (EF006819)

Screw connection

Degree of protection (IP), front side (EF003118)

IP65

Housing material (EF001596)

Plastic

Model (EF000010)

On/Off switch

Complete device in housing (EF007317)

Yes

Suitable for intermediate mounting (EF007264)

No

Suitable for distribution board installation (EF007262)

Yes

Suitable for front mounting (EF007246)

Yes

Suitable for floor mounting (EF007243)

No

With retraction in 0-position (EF002428)

No

With zero (off) position (EF001416)

Yes

Number of poles (EF001391)

8

Rated permanent current I<sub>u</sub> (EF001389)

40 A

Rated operation power at AC-3, 400 V (EF001364)

15 kW

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / GX4075U with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.