

INDUSTRIAL COMPONENT DATA

GX2075P LOVATO ROTARY CAM SWITCHE, GX SERIES, P VERSION IN ENCLOSURE WITH ROTATING HANDLE. CHANGEOVER SWITCH..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: GX2075P



Manufacturer	LOVATO ELECTRIC
MPN / Reference	GX2075P
Catalog number	10000
Category	Off-load switch
Minimum order	1 Pcs
Document ID	EO-BBAC3B377D
Generated	2026-08-05

Product Overview

ROTARY CAM SWITCHE, GX SERIES, P VERSION IN ENCLOSURE WITH ROTATING HANDLE. CHANGEOVER SWITCH, FOUR POLES - SCHEME 75, 20A

4P 3POS.CHANGEOVER W/O W/HOUSING

Enclosed rotary cam switch GX series, changeover switch 4 poles 20A in plastic enclosure 90X90mm with black handle

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Rotary cam switches - LOVATO ELECTRIC

Additional Product Information

GX2075P

Enclosed rotary cam switch GX series, changeover switch 4 poles 20A in plastic enclosure 90X90mm with black handle

Technical specifications

Type of product:Changeover switchesSwitching diagram:75 - Changeover switch 4 polesIEC Conventional free air thermal current I_{th} [A]:20Mounting form:P - Plastic enclosure with black handleSeries:GX - square-shaped contact blockOrder code GX2075P

Weight [g] 430

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 050X068X099

Volume [cm³] 336.6

Bar code [EAN13] 8013975101223

HS Code 85365080

67.84 £

ETIM for GX2075P Low-voltage industrial controls and switchgear (EC001105)

Feature Name

Feature Value

Type of control element (EF006976)

Short thumb-grip

Type of electrical connection of main circuit (EF006819)

Screw connection

Degree of protection (IP), front side (EF003118)

IP65

Housing material (EF001596)

Plastic

Model (EF000010)

On/Off switch

Complete device in housing (EF007317)

Yes

Suitable for intermediate mounting (EF007264)

No

Suitable for distribution board installation (EF007262)

Yes

Suitable for front mounting (EF007246)

No

Suitable for floor mounting (EF007243)

No

With retraction in 0-position (EF002428)

No

With zero (off) position (EF001416)

Yes

Number of poles (EF001391)

8

Rated permanent current I_u (EF001389)

20 A

Rated operation power at AC-3, 400 V (EF001364)

5.5 kW

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / GX2075P with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.