

INDUSTRIAL COMPONENT DATA

GE0630NT4 LOVATO FOUR-POLE SWITCH DISCONNECTOR, WITH NH FUSE HOLDER, 630A

Brand: LOVATO ELECTRIC | Manufacturer Part Number: GE0630NT4



Manufacturer	LOVATO ELECTRIC
MPN / Reference	GE0630NT4
Catalog number	10000
Category	Switch disconnecter
Minimum order	1 Pcs
Document ID	EO-52175B58D2
Generated	2026-08-03

Product Overview

FOUR-POLE SWITCH DISCONNECTOR, WITH NH FUSE HOLDER, 630A

4P SWITCH DISCONNECTOR W/NH FUSE HOLDER

Four-pole switch disconnecter, with NH fuse holder, 630A

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Switch disconnectors - LOVATO ELECTRIC

Additional Product Information

GE0630NT4

Four-pole switch disconnecter, with NH fuse holder, 630A

Technical specifications

Type of product: Switch disconnectors with fuse holder
Number of poles: 4
Type of operating voltage: AC
IEC Conventional free air thermal current I_{th} [A]: 630
Type of fuse: NH
Type of installation: Screw on plate
Order code GE0630NT4

Weight [g] 15940

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 440X340X280

Volume [cm³] 41888

Bar code [EAN13] 8013975176115

HS Code 85365080

1410.62 £

ETIM for GE0630NT4 Low-voltage industrial controls and switchgear (EC000216)

Feature Name

Feature Value

Device construction (EF008240)

Built-in device fixed built-in technique

Type of control element (EF006976)

Door coupling rotary drive

Type of electrical connection of main circuit (EF006819)

Bolt connection

Rated operating voltage (EF001435)

400 V

Version as reversing switch (EF009408)

No

Voltage release optional (EF007491)

No

Motor drive optional (EF007386)

No

Suitable for distribution board installation (EF007262)

No

Suitable for front mounting 4-hole (EF007247)

No

Version as maintenance-/service switch (EF006986)

Yes

Version as safety switch (EF006985)

No

Version as main switch (EF006981)

Yes

Version as emergency stop installation (EF006959)

No

Motor drive integrated (EF006697)

No

Interlockable (EF006281)

No

Rated permanent current at AC-23, 400 V (EF011777)

630 A

Rated permanent current at AC-21, 400 V (EF009165)

630 A

Max. rated operation voltage Ue AC (EF007355)

690 V

Rated oper...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / GE0630NT4 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.