

INDUSTRIAL COMPONENT DATA

7GN3292P GN3292P LOVATO ROTARY CAM SWITCH, GN SERIES, P VERSION IN ENCLOSURE WITH ROTATING HANDLE. ON/OFF S..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: 7GN3292P



Manufacturer	LOVATO ELECTRIC
MPN / Reference	7GN3292P
Catalog number	GN3292P
Category	Off-load switch
Minimum order	1 Pcs
Document ID	EO-13967AEAD8
Generated	2026-08-05

Product Overview

ROTARY CAM SWITCH, GN SERIES, P VERSION IN ENCLOSURE WITH ROTATING HANDLE. ON/OFF SWITCH, FOUR POLES - SCHEME 92, 32A

IIII GN92 32A Switch Mod. P 90x90

Enclosed rotary cam switch 7GN series, ON-OFF switch 4 poles 32A in plastic enclosure 90X90mm with black handle

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Rotary cam switches - LOVATO ELECTRIC

Additional Product Information

7GN3292P

Enclosed rotary cam switch 7GN series, ON-OFF switch 4 poles 32A in plastic enclosure 90X90mm with black handle

Technical specifications

Type of product:ON/OFF switchesSwitching diagram:92 - ON/OFF switch 4 polesIEC Conventional free air thermal current

Ith [A]:32Mounting form:P - Plastic enclosure with black handleSeries:7GN - round-shaped contact blockOrder code

7GN3292P

Weight [g] 411

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 097X097X143

Volume [cm³] 1345.487

Bar code [EAN13] 3850144005280

HS Code 85365080

74.33 £

ETIM for 7GN3292P Low-voltage industrial controls and switchgear (EC001105)

Feature Name

Feature Value

Type of control element (EF006976)

Short thumb-grip

Type of electrical connection of main circuit (EF006819)

Screw connection

Degree of protection (IP), front side (EF003118)

IP40

Housing material (EF001596)

Plastic

Model (EF000010)

On/Off switch

Complete device in housing (EF007317)

Yes

Suitable for intermediate mounting (EF007264)

No

Suitable for distribution board installation (EF007262)

Yes

Suitable for front mounting (EF007246)

No

Suitable for floor mounting (EF007243)

No

With retraction in 0-position (EF002428)

No

With zero (off) position (EF001416)

Yes

Number of poles (EF001391)

4

Rated permanent current I_u (EF001389)

32 A

Rated operation power at AC-3, 400 V (EF001364)

11 kW

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / 7GN3292P with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.