

INDUSTRIAL COMPONENT DATA

GX1698O48 LOVATO ROTARY CAM SWITCHE, GX SERIES, O48 VERSION MODULAR SERVICE COVER 35MM DIN RAIL MOUNT. AMMET..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: GX1698O48



Manufacturer	LOVATO ELECTRIC
MPN / Reference	GX1698O48
Catalog number	10000
Category	Off-load switch
Minimum order	1 Pcs
Document ID	EO-CEED41B9A0
Generated	2026-08-03

Product Overview

ROTARY CAM SWITCHE, GX SERIES, O48 VERSION MODULAR SERVICE COVER 35MM DIN RAIL MOUNT.

AMMETER SWITCH, FOR L1-L2-L3 READINGS VIA 3 CTS - 4 WAFERS - SCHEME 98, 16A

4POS.AMMETER L1-L2-L3 3TA MODULAR VERSIO

Rotary cam switch GX series, ammeter switch 16A, modular service cover for 35mm DIN rail mounting with black handle, front plate 45X54mm

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Rotary cam switches - LOVATO ELECTRIC
--------------	---

Additional Product Information

GX1698O48

Rotary cam switch GX series, ammeter switch 16A, modular service cover for 35mm DIN rail mounting with black handle, front plate 45X54mm

Technical specifications

Type of product: Voltmeters and ammeters
Switching diagram: 98 - Ammeter switch
IEC Conventional free air thermal current
Ith [A]: 16
Mounting form: O48 - Modular service cover for 35mm din rail mounting with black handle
Series: GX - square-shaped contact block
Order code GX1698O48

Weight [g] 140

Qty. per package 1

Multiple qty. of packs per order 1
Package dimensions [mm] 050X068X099
Volume [cm³] 336.6
Bar code [EAN13] 8013975100967
HS Code 85365080
Discover more about LOVATO Electric rotary cam switches 43.62 £
ETIM for GX1698O48 Low-voltage industrial controls and switchgear (EC001105)
Feature Name
Feature Value
Type of control element (EF006976)
Short thumb-grip
Type of electrical connection of main circuit (EF006819)
Screw connection
Degree of protection (IP), front side (EF003118)
IP65
Housing material (EF001596)
Plastic
Model (EF000010)
Other
Complete device in housing (EF007317)
Yes
Suitable for intermediate mounting (EF007264)
No
Suitable for distribution board installation (EF007262)
Yes
Suitable for front mounting (EF007246)
No
Suitable for floor mounting (EF007243)
No
With retraction in 0-position (EF002428)
No
With zero (off) position (EF001416)
Yes
Number of poles (EF001391)
6
Rated permanent current I_u (EF001389)
16 A
Rated operation power at AC-3, 400 V (EF001364)
4.5 kW

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / GX1698O48 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.