

INDUSTRIAL COMPONENT DATA

KNF3A11 LOVATO LIMIT SWITCH, K SERIES, ADJUSTABLE ROLLER LEVER, 2 SIDE CABLE ENTRY. DIMENSIONS COMPATIBLE TO..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: KNF3A11



Manufacturer	LOVATO ELECTRIC
MPN / Reference	KNF3A11
Catalog number	10000
Category	End switch
Minimum order	1 Pcs
Document ID	EO-53EF8DC810
Generated	2026-08-04

Product Overview

LIMIT SWITCH, K SERIES, ADJUSTABLE ROLLER LEVER, 2 SIDE CABLE ENTRY. DIMENSIONS COMPATIBLE TO EN 50047, METAL BODY, CONTACTS 1NO+1NC SLOW BREAK MAKE BEFORE BREAK. RUBBER ROLLER

ADJ RUBBER ROLLER LEV 2 ENTR L/S 1NO+1NC

Limit switch, K series, adjustable roller lever, 2 side cable entry. Dimensions compatible to EN 50047, metal body, contacts 1NO+1NC slow action make before break. Rubber roller

K SERIES LIMIT SWITCH, ADJUSTABLE LEVER WITH WHEEL, 2 SIDE CABLE ENTRIES. EN 50047 COMPATIBLE DIMENSIONS, METAL HOUSING, OVERLAPPING 1NO+1NC SLOW CONTACTS. RUBBER WHEEL

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Limit, micro and foot switches - LOVATO ELECTRIC
--------------	--

Additional Product Information

KNF3A11

Limit switch, K series, adjustable roller lever, 2 side cable entry. Dimensions compatible to EN 50047, metal body, contacts 1NO+1NC slow action make before break. Rubber roller

Technical specifications

Type of product:Metal and plastic limit switchesProduct characteristics:Adjustable roller leverHousing

material:Aluminium-zinc alloyRoller material:RubberType of contacts:1NO+1NC Slow action make before breakCable entry:M20 on the sidesOrder code KNF3A11

Weight [g] 272
Qty. per package 1
Multiple qty. of packs per order 1
Package dimensions [mm] 150X060X048
Volume [cm³] 432
Bar code [EAN13] 8013975128619
HS Code 85365080
55.18 £
ETIM for KNF3A11 Sensors (EC000030)
Feature Name
Feature Value
Alignment of the control element (EF008793)
Roller cam crossed
Type of interface (EF006977)
None
Type of control element (EF006976)
Adjustable roller lever
Degree of protection (IP) (EF005474)
IP65
Construction type housing (EF004008)
Cuboid
Explosion safety category for dust (EF003998)
None
Explosion safety category for gas (EF003997)
None
Type of electric connection (EF003961)
Cable entry metrical
Type of interface for safety communication (EF003956)
None
Coating housing (EF001601)
Powder coated
Housing material (EF001596)
Metal
Switching function (EF000189)
Slow-action switch with overlapping
Ambient temperature during operating (EF007515)
-25 °C
Switching function latching (EF007447)
No
Output electronic (EF006987)
No
Forced opening (EF006694)
Yes
With status indication (EF0016...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / KNF3A11 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.