

## INDUSTRIAL COMPONENT DATA

# KBF4L11 LOVATO LIMIT SWITCH, K SERIES, ADJUSTABLE ROLLER LEVER, 1 BOTTOM CABLE ENTRY. DIMENSIONS TO EN 50047..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: KBF4L11



|                 |                 |
|-----------------|-----------------|
| Manufacturer    | LOVATO ELECTRIC |
| MPN / Reference | KBF4L11         |
| Catalog number  | 10000           |
| Category        | End switch      |
| Minimum order   | 1 Pcs           |
| Document ID     | EO-820B2763B2   |
| Generated       | 2026-08-06      |

## Product Overview

LIMIT SWITCH, K SERIES, ADJUSTABLE ROLLER LEVER, 1 BOTTOM CABLE ENTRY. DIMENSIONS TO EN 50047, PLASTIC BODY, CONTACTS 1NO+1NC SLOW BREAK. RUBBER ROLLER WITH OFFSET ALIGNMENT  
ADJ RUBBER ROLLER LEVER 1NO+1NC SLOW

Limit switch, K series, adjustable roller lever, 1 bottom cable entry. Dimensions to EN 50047, plastic body, contacts 1NO+1NC slow action. Rubber roller with offset alignment

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

|              |                                                                    |
|--------------|--------------------------------------------------------------------|
| Catalog path | LOVATO ELECTRIC > Limit, micro and foot switches - LOVATO ELECTRIC |
|--------------|--------------------------------------------------------------------|

## Additional Product Information

KBF4L11

Limit switch, K series, adjustable roller lever, 1 bottom cable entry. Dimensions to EN 50047, plastic body, contacts 1NO+1NC slow action. Rubber roller with offset alignment

Technical specifications

Type of product: Metal and plastic limit switches  
Product characteristics: Adjustable roller lever  
Housing material: Polymer thermoplastic  
Roller material: Rubber  
Type of contacts: 1NO+1NC Slow action  
Cable entry: M20 on the bottom  
Order code KBF4L11

Weight [g] 150

Qty. per package 1

Multiple qty. of packs per order 1  
Package dimensions [mm] 150X060X060  
Volume [cm<sup>3</sup>] 540  
Bar code [EAN13] 8013975114698  
HS Code 85365080  
44.86 £  
ETIM for KBF4L11 Sensors (EC000030)  
Feature Name  
Feature Value  
Alignment of the control element (EF008793)  
Roller cam crossed  
Type of interface (EF006977)  
None  
Type of control element (EF006976)  
Adjustable roller lever  
Degree of protection (IP) (EF005474)  
IP65  
Construction type housing (EF004008)  
Cuboid  
Explosion safety category for dust (EF003998)  
None  
Explosion safety category for gas (EF003997)  
None  
Type of electric connection (EF003961)  
Cable entry metrical  
Type of interface for safety communication (EF003956)  
None  
Coating housing (EF001601)  
Other  
Housing material (EF001596)  
Plastic  
Switching function (EF000189)  
Slow-action switch  
Ambient temperature during operating (EF007515)  
-25 °C  
Switching function latching (EF007447)  
No  
Output electronic (EF006987)  
No  
Forced opening (EF006694)  
Yes  
With status indication (EF001602)  
No  
Suitable for safety functions (EF00...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / KBF4L11 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.