

INDUSTRIAL COMPONENT DATA

LPCBL206 LOVATO ILLUMINATED BUTTON ACTUATOR, SPRING RETURN Ø22MM PLATINUM SERIES, EXTENDED, BLUE

Brand: LOVATO ELECTRIC | Manufacturer Part Number: LPCBL206



Manufacturer	LOVATO ELECTRIC
MPN / Reference	LPCBL206
Catalog number	10000
Category	Front element for push button
Minimum order	1 Pcs
Document ID	EO-3130C94BCC
Generated	2026-08-02

Product Overview

ILLUMINATED BUTTON ACTUATOR, SPRING RETURN Ø22MM PLATINUM SERIES, EXTENDED, BLUE

BLUE EXTENDED ILLUMINATED PUSH-BUTTON

Illuminated button actuator, spring return Ø22mm Platinum series chromed plastic, extended, blue

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Pushbuttons and selector switches - LOVATO ELECTRIC

Additional Product Information

LPCBL206

Illuminated button actuator, spring return Ø22mm Platinum series chromed plastic, extended, blue

Technical specifications

Type of product:PushbuttonsType of actuator:ExtendedSeries:Platinum chromed plastic Ø22mmColour:BlueIlluminated element:YesSymbol:NoLatching mechanism:Spring returnOrder code LPCBL206

Weight [g] 13.76

Qty. per package 10

Multiple qty. of packs per order 10

Package dimensions [mm] 180X060X038

Volume [cm³] 41

Bar code [EAN13] 8013975190975

HS Code 85365080

12.28 £

ETIM for LPCBL206 Low-voltage industrial controls and switchgear (EC000221)

Feature Name

Feature Value

Degree of protection (NEMA), front side (EF011961)

4X

Construction type lens (EF006253)

Round

Material front ring (EF005972)

Plastic

Degree of protection (IP), front side (EF003118)

IP67/IP69K

Type of button (EF001546)

Other

Colour button (EF000190)

Blue

Switching function latching (EF007447)

No

With front ring (EF006014)

Yes

With protective cover (EF005500)

No

Labelled (EF001537)

No

Spring-return (EF001407)

Yes

Suitable for lighting (EF001142)

Yes

Height opening (EF004778)

22 mm

Width opening (EF004565)

22 mm

Number of command positions (EF001372)

1

Hole diameter (EF000079)

22 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / LPCBL206 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.