

INDUSTRIAL COMPONENT DATA

7GN2526U GN2526U LOVATO ROTARY CAM SWITCHE, GN SERIES, U VERSION FRONT MOUNT. MOTOR SWITCH, THREE-POLE REVER..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: 7GN2526U



Manufacturer	LOVATO ELECTRIC
MPN / Reference	7GN2526U
Catalog number	GN2526U
Category	Off-load switch
Minimum order	1 Pcs
Document ID	EO-274FCB6253
Generated	2026-08-02

Product Overview

ROTARY CAM SWITCHE, GN SERIES, U VERSION FRONT MOUNT. MOTOR SWITCH, THREE-POLE REVERSING SWITCHES WITH SPRING RETURN TO 0 - 3 WAFERS - SCHEME 26, 25A

Return Inverter III GN26 25A Mod. U 48x48

Rotary cam switch 7GN series, 3-phase motor reversing switch with spring return 25A, for front mounting with black handle, front plate 48X48mm

ROTARY CAM SWITCH 7GN SERIES, 3-PHASE MOTOR REVERSING SWITCH WITH SPRING RETURN 25A, FOR FRONT MOUNTING WITH BLACK HANDLE, FRONT PLATE 48X48MM

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Rotary cam switches - LOVATO ELECTRIC
--------------	---

Additional Product Information

7GN2526U

Rotary cam switch 7GN series, 3-phase motor reversing switch with spring return 25A, for front mounting with black handle, front plate 48X48mm

Technical specifications

Type of product:Motor starting switchesSwitching diagram:26 - 3-phase motor reversing switch with spring returnIEC

Conventional free air thermal current Ith [A]:25Mounting form:U - Front mounting with black handleSeries:7GN - round-shaped contact blockOrder code 7GN2526U

Weight [g] 144
Qty. per package 1
Multiple qty. of packs per order 1
Package dimensions [mm] 050X050X102
Volume [cm³] 255
Bar code [EAN13] 3850144005204
HS Code 85365080
54.64 £
ETIM for 7GN2526U Low-voltage industrial controls and switchgear (EC001105)
Feature Name
Feature Value
Type of control element (EF006976)
Short thumb-grip
Type of electrical connection of main circuit (EF006819)
Screw connection
Degree of protection (IP), front side (EF003118)
IP40
Housing material (EF001596)
Plastic
Model (EF000010)
Reverser
Complete device in housing (EF007317)
Yes
Suitable for intermediate mounting (EF007264)
No
Suitable for distribution board installation (EF007262)
Yes
Suitable for front mounting (EF007246)
Yes
Suitable for floor mounting (EF007243)
No
With retraction in 0-position (EF002428)
Yes
With zero (off) position (EF001416)
Yes
Number of poles (EF001391)
6
Rated permanent current I_u (EF001389)
25 A
Rated operation power at AC-3, 400 V (EF001364)
7.5 kW

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / 7GN2526U with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.