

INDUSTRIAL COMPONENT DATA

8LM2TR1196 LM2TR1196 LOVATO MECHANICAL RESET BUTTON, COMPLETE UNIT, SPRING RETURN, Ø22MM 8LM METAL SERIES, F..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: 8LM2TR1196



Manufacturer	LOVATO ELECTRIC
MPN / Reference	8LM2TR1196
Catalog number	LM2TR1196
Category	Front element for push button
Minimum order	10 Pcs
Document ID	EO-188D8F6EF0
Generated	2026-08-05

Product Overview

MECHANICAL RESET BUTTON, COMPLETE UNIT, SPRING RETURN, Ø22MM 8LM METAL SERIES, FLUSH.

ADJUSTABLE LENGTH 0...140MM/5.5IN, BLUE WITH "RESET" CAPTION

COMPLETE BLUE FLUSH RESET BUT- TON WITH

Mechanical RESET button, complete unit, spring return, Ø22mm 8LM series metal, flush. Adjustable length 0...140mm/5.5in, blue with "RESET" caption

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Pushbuttons and selector switches - LOVATO ELECTRIC
--------------	---

Additional Product Information

8LM2TR1196

Mechanical RESET button, complete unit, spring return, Ø22mm 8LM series metal, flush. Adjustable length 0...140mm/5.5in, blue with "RESET" caption

Technical specifications

Colour:Blue (RESET)Order code 8LM2TR1196

Weight [g] 64

Qty. per package 10

Multiple qty. of packs per order 10

Package dimensions [mm] 238X102X042

Volume [cm³] 101.959
Bar code [EAN13] 8013975040386
HS Code 85365080
ETIM for 8LM2TR1196 Low-voltage industrial controls and switchgear (EC000221)
Feature Name
Feature Value
Degree of protection (NEMA), front side (EF011961)
4X
Construction type lens (EF006253)
Round
Material front ring (EF005972)
Metal
Degree of protection (IP), front side (EF003118)
IP65
Type of button (EF001546)
Other
Colour button (EF000190)
Blue
Switching function latching (EF007447)
No
With front ring (EF006014)
Yes
With protective cover (EF005500)
No
Labelled (EF001537)
No
Spring-return (EF001407)
Yes
Suitable for lighting (EF001142)
No
Height opening (EF004778)
22 mm
Width opening (EF004565)
22 mm
Number of command positions (EF001372)
1
Hole diameter (EF000079)
22 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / 8LM2TR1196 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.