

INDUSTRIAL COMPONENT DATA

PMA20240 LOVATO CURRENT MONITORING RELAY FOR SINGLE-PHASE SYSTEM, AC/DC MAXIMUM CURRENT CONTROL, 5A OR 16A

Brand: LOVATO ELECTRIC | Manufacturer Part Number: PMA20240



Manufacturer	LOVATO ELECTRIC
MPN / Reference	PMA20240
Catalog number	10000
Category	Current monitoring relay
Minimum order	1 Pcs
Document ID	EO-E4BC270664
Generated	2026-08-03

Product Overview

CURRENT MONITORING RELAY FOR SINGLE-PHASE SYSTEM, AC/DC MAXIMUM CURRENT CONTROL, 5A OR 16A
CURR.REL.1OUT.24-240VAC/DC MAX CURR.

Current monitoring relay for single-phase system, AC/DC maximum current control, 5A or 16A

CURRENT RELAY FOR SINGLE-PHASE SYSTEM, MAXIMUM AC/DC CURRENT, 5A OR 16A

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Protection relays - LOVATO ELECTRIC
--------------	---

Additional Product Information

PMA20240

Current monitoring relay for single-phase system, AC/DC maximum current control, 5A or 16A

Technical specifications

Type of product:Current monitoring relaysType of system:Single-phaseNumber of relay outputs:1Rated supply voltage:24...240VAC/DCRated current Ie [A]:5 or 16Programming mode:PotentiometersOrder code PMA20240

Weight [g] 144

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 095X040X075

Volume [cm³] 285

Bar code [EAN13] 8013975172810

HS Code 85364900

241.51 £

ETIM for PMA20240 Relays (EC001440)

Feature Name

Feature Value

Type of electric connection (EF003961)

Screw connection

Current measuring range (EF000417)

0.25 A

Function DC-current hysteresis (EF003411)

Yes

Contains function DC-voltage overcurrent (EF003410)

Yes

Contains function DC-voltage under current (EF003409)

No

Three-phase overcurrent possible (EF003408)

No

Single-phase overcurrent possible (EF003407)

Yes

Three-phase under current possible (EF003406)

No

Single-phase under current possible (EF003405)

Yes

Three-phase hysteresis possible (EF003395)

No

Single-phase hysteresis possible (EF003394)

Yes

With detachable clamps (EF003340)

No

External current transformer (EF001923)

Yes

Number of contacts as change-over contact (EF008257)

1

Number of contacts as normally open contact (EF008256)

0

Number of contacts as normally closed contact (EF008255)

0

Min. adjustable off-delay time (EF008192)

0.1 s

Max. permitted off-delay time (EF008191)

30 s

Depth (EF000049)

64.9 mm

Height....

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / PMA20240 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.