

INDUSTRIAL COMPONENT DATA

DMK16R1 LOVATO FLUSH-MOUNT LED MULTIMETER, THREE PHASE, NON EXPANDABLE, 3 PHASE VOLTAGE VALUES, 3 PHASE TO P..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: DMK16R1



Manufacturer	LOVATO ELECTRIC
MPN / Reference	DMK16R1
Catalog number	10000
Category	Multifunction measuring instrument
Minimum order	1 Pcs
Document ID	EO-2B95522768
Generated	2026-08-01

Product Overview

FLUSH-MOUNT LED MULTIMETER, THREE PHASE, NON EXPANDABLE, 3 PHASE VOLTAGE VALUES, 3 PHASE TO PHASE VOLTAGE VALUES, 3 PHASE CURRENT VALUES, 4 ACTIVE POWER VALUES, PHASE AND TOTAL, 4 REACTIVE POWER VALUES, PHASE AND TOTAL, 4 APPARENT POWER VALUES, PHASE AND TOTAL, 3 PHASE POWER FACTOR VALUES, 1 FREQUENCY VALUE, 1 ACTIVE ENERGY VALUE IN KWH, 1 REACTIVE ENERGY VALUE IN KVARH, 1 HOUR COUNTER, 3 MAXIMUM PHASE...

D/MULTIMETER V-A-W-VAR-FP-HZ-E +PR.RELAY

Flush-mount LED multimeter, three-phase, non expandable, 3 phase voltage values, 3 phase to phase voltage values, 3 phase current values, 4 active power values, phase and total, 4 reactive power values, phase and total, 4 apparent power values, phase and total, 3 phase power factor values, 1 frequency value, 1 active energy value in kWh, 1 reactive energy value in kvarh, 1 hour counter, 3 max phase...

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Metering instruments and current transformers - LOVATO ELECTRIC
--------------	---

Additional Product Information

DMK16R1

Flush-mount LED multimeter, three-phase, non expandable, 3 phase voltage values, 3 phase to phase voltage values, 3 phase current values, 4 active power values, phase and total, 4 reactive power values, phase and total, 4 apparent power values, phase and total, 3 phase power factor values, 1 frequency value, 1 active energy value in kWh, 1 reactive energy

value in kvarh, 1 hour counter, 3 max phase...

Technical specifications

Type of product: Digital metering instruments Type of installation: Flush mounting Order code DMK16R1

Weight [g] 342

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 123X058X098

Volume [cm³] 699.132

Bar code [EAN13] 8013975173053

HS Code 90303100

285.3 £

ETIM for DMK16R1 Modular devices for distribution board/surface mounting (EC002301)

Feature Name

Feature Value

Accuracy class reactive energy according to IEC 62053-23 (EF015239)

Other

Accuracy class active energy according to IEC 62053-22 (EF015238)

Other

Degree of protection (IP), front side (EF003118)

Other

Voltage type (supply voltage) (EF002991)

AC

Display (EF000360)

LED

Measuring range for frequency (EF009469)

45 Hz

Supply voltage AC 50 Hz (EF007532)

220 V

Remote display (EF016138)

No

Web server with HTTPS transfer protocol (EF015395)

No

With Role Based Access Control (RBAC) (EF015394)

No

With logging of security events (security event log) (EF015393)

No

With firmware signature (EF015392)

No

With audit logging (audit log) (EF015391)

No

Supporting protocol for OPC U...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / DMK16R1 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.