

INDUSTRIAL COMPONENT DATA

PSL112024 LOVATO DIN RAIL SWITCHING POWER SUPPLY, SINGLE PHASE. 24VDC, 5A / 120W

Brand: LOVATO ELECTRIC | Manufacturer Part Number: PSL112024



Manufacturer	LOVATO ELECTRIC
MPN / Reference	PSL112024
Catalog number	10000
Category	DC-power supply
Minimum order	1 Pcs
Document ID	EO-A85187BCC0
Generated	2026-08-05

Product Overview

DIN RAIL SWITCHING POWER SUPPLY, SINGLE PHASE. 24VDC, 5A / 120W

DIN 1PH P/SUPPLY 120W 115/230VAC 24VDC

DIN rail switching power supply, single-phase. 24VDC, 5A/120W

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Switching power supplies - LOVATO ELECTRIC

Additional Product Information

PSL112024

DIN rail switching power supply, single-phase. 24VDC, 5A/120W

Technical specifications

Type of product: Switching power supplies
Rated output voltage DC [VDC]: 24
Rated output current [A]: 5
Rated output power [W]: 120
Type of input: Single-phase
Rated supply voltage AC [VAC]: Self-configurable 115...230
Type of installation: DIN rail mounting
Order code PSL112024

Weight [g] 1018

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 160X160X080

Volume [cm³] 2048

Bar code [EAN13] 8013975180396

HS Code 8504318090

230.05 £

ETIM for PSL112024 Low-voltage industrial controls and switchgear (EC002540)

Feature Name

Feature Value

Degree of protection (IP) (EF005474)

IP20

Type of electric connection (EF003961)

Screw connection

Voltage type (supply voltage) (EF002991)

AC

Rated supply voltage DC (EF007078)

210 V

Rated supply voltage AC 60 Hz (EF007077)

115 V

Rated supply voltage AC 50 Hz (EF007076)

115 V

1st secondary output voltage (EF006792)

24 V

Short-circuit-proof (EF007332)

Yes

Secondary voltage adjustable (EF007002)

Yes

Direct mounting possible (EF005689)

No

Stabilized (EF005302)

Yes

Wall mounting possible (EF003973)

No

Suitable for rail mounting (EF003972)

Yes

Output voltage stabilized (EF003092)

Yes

Suitable for safety functions (EF001597)

No

Nominal value output current 1 (EF009396)

5 A

Nominal value output voltage 1 (EF009393)

24 V

Max. output current 1 (EF008284)

5 A

Power output (EF003034)

120 W

Depth (EF000049)

123.6 mm

Height (EF000040)

124.5 mm

Width (E...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / PSL112024 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.