

INDUSTRIAL COMPONENT DATA

PSL324024 LOVATO DIN RAIL SWITCHING POWER SUPPLY, THREE PHASE. 24VDC, 10A / 240W

Brand: LOVATO ELECTRIC | Manufacturer Part Number: PSL324024



Manufacturer	LOVATO ELECTRIC
MPN / Reference	PSL324024
Catalog number	10000
Category	DC-power supply
Minimum order	1 Pcs
Document ID	EO-3B5D2B1884
Generated	2026-08-06

Product Overview

DIN RAIL SWITCHING POWER SUPPLY, THREE PHASE. 24VDC, 10A / 240W

DIN 3PH P/SUPPLY 240W 400-500VAC 24VDC

DIN rail switching power supply, three-phase. 24VDC, 10A/240W

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Switching power supplies - LOVATO ELECTRIC

Additional Product Information

PSL324024

DIN rail switching power supply, three-phase. 24VDC, 10A/240W

Technical specifications

Type of product: Switching power supplies
Rated output voltage DC [VDC]: 24
Rated output current [A]: 10
Rated output power [W]: 240
Type of input: Three-phase
Rated supply voltage AC [VAC]: Multivoltage 400...500
Type of installation: DIN rail mounting
Order code PSL324024

Weight [g] 1189

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 104X160X160

Volume [cm³] 2662.4

Bar code [EAN13] 8013975180457

HS Code 8504318090

388.37 £

ETIM for PSL324024 Low-voltage industrial controls and switchgear (EC002540)

Feature Name

Feature Value

Degree of protection (IP) (EF005474)

IP20

Type of electric connection (EF003961)

Screw connection

Voltage type (supply voltage) (EF002991)

AC

Rated supply voltage DC (EF007078)

480 V

Rated supply voltage AC 60 Hz (EF007077)

400 V

Rated supply voltage AC 50 Hz (EF007076)

400 V

1st secondary output voltage (EF006792)

24 V

Short-circuit-proof (EF007332)

Yes

Secondary voltage adjustable (EF007002)

Yes

Direct mounting possible (EF005689)

No

Stabilized (EF005302)

Yes

Wall mounting possible (EF003973)

No

Suitable for rail mounting (EF003972)

Yes

Output voltage stabilized (EF003092)

Yes

Suitable for safety functions (EF001597)

No

Nominal value output current 1 (EF009396)

10 A

Nominal value output voltage 1 (EF009393)

24 V

Max. output current 1 (EF008284)

10 A

Power output (EF003034)

240 W

Depth (EF000049)

118.8 mm

Height (EF000040)

124 mm

Width (EF00...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / PSL324024 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.