

## INDUSTRIAL COMPONENT DATA

# DMED122 LOVATO ENERGY METER, SINGLE PHASE, NON EXPANDABLE, DIGITAL WITH BACKLIGHT LCD DISPLAY, 63A DIRECT CO..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: DMED122



|                 |                     |
|-----------------|---------------------|
| Manufacturer    | LOVATO ELECTRIC     |
| MPN / Reference | DMED122             |
| Catalog number  | 10000               |
| Category        | Kilowatt-hour meter |
| Minimum order   | 1 Pcs               |
| Document ID     | EO-99FBA79A64       |
| Generated       | 2026-08-03          |

## Product Overview

ENERGY METER, SINGLE PHASE, NON EXPANDABLE, DIGITAL WITH BACKLIGHT LCD DISPLAY, 63A DIRECT CONNECTION, 2U, M-BUS INTERFACE, MULTI-MEASUREMENTS, 220...240VAC

MOD. (2U) 1-PH ENERGY METER, 63A, MBUS

Energy meter, single-phase, non expandable, digital with backlight LCD display, 63A direct connection, 2U, M-BUS interface, multi-measurements, 220...240VAC

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Metering instruments and current transformers - LOVATO ELECTRIC

## Additional Product Information

DMED122

Energy meter, single-phase, non expandable, digital with backlight LCD display, 63A direct connection, 2U, M-BUS interface, multi-measurements, 220...240VAC

Technical specifications

Type of product:Energy meters - Single-phaseType of installation:DIN rail mountingType of current connection:DirectIEC maximum current (Imax) [A]:63Type of energy measurement:Imported active energy and imported reactive energyAccuracy active energy measurement:Class 1 (IEC/EN 62053-21)Reactive energy:Class 2 (IEC/EN 62053-23)Current harmonic analysis:NoBuilt-in communication port:M-BusExpandable:NoMID certified:NoOrder code DMED122

Weight [g] 148

Qty. per package 1  
Multiple qty. of packs per order 1  
Package dimensions [mm] 095X040X075  
Volume [cm<sup>3</sup>] 285  
Bar code [EAN13] 8013975231869  
HS Code 90283011  
ETIM for DMED122 Meters (EC001506)  
Feature Name  
Feature Value  
Pole type (EF008843)  
Single phase  
Accuracy class (EF008842)  
B  
Pulse output (EF008838)  
Optic  
Tariff control (EF008834)  
External  
Tariff type (EF007550)  
One-tariff  
Energy type (EF007135)  
Effective power and reactive power  
Type of interface (EF006977)  
M-bus  
Degree of protection (IP) (EF005474)  
IP20  
Type of meter (EF005441)  
Electronic  
Type of indication (EF000306)  
Digital  
Suitable for (EF000073)  
Purchase  
Model (EF000010)  
Direct measurement  
Mounting method (EF000003)  
DRA (DIN-rail adapter)  
Nominal voltage (Un) N-L (EF008871)  
220 V  
Pulse rate (EF008840)  
1000 Imp/kWh (kvarh)  
Frequency (EF000416)  
45 Hz  
With lock code (EF008846)  
Yes  
EEC40 sign...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / DMED122 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.