

INDUSTRIAL COMPONENT DATA

DMED305T2 LOVATO ENERGY METER, THREE PHASE WITH OR WITHOUT NEUTRAL, NON EXPANDABLE, CONNECTION BY CT /5A SEC..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: DMED305T2



Manufacturer	LOVATO ELECTRIC
MPN / Reference	DMED305T2
Catalog number	10000
Category	Kilowatt-hour meter
Minimum order	1 Pcs
Document ID	EO-2D7FCED549
Generated	2026-08-04

Product Overview

ENERGY METER, THREE PHASE WITH OR WITHOUT NEUTRAL, NON EXPANDABLE, CONNECTION BY CT /5A SECONDARY, 4U, 2 PROGRAMMABLE STATIC OUTPUT, MULTI-MEASUREMENTS
MOD. (4U) 3PH ENERGY METER /5A 2OUTS

Energy meter, three-phase with or without neutral, non expandable, connection by CT /5A secondary, 4U, 2 programmable static output, multi-measurements

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Metering instruments and current transformers - LOVATO ELECTRIC

Additional Product Information

DMED305T2

Energy meter, three-phase with or without neutral, non expandable, connection by CT /5A secondary, 4U, 2 programmable static output, multi-measurements

Technical specifications

Type of product:Energy meters - Three-phaseType of installation:DIN rail mountingType of current connection:CT /5A /1AIEC maximum current (Imax) [A]:5Type of energy measurement:Imported/exported active energy and imported/exported reactive energyAccuracy active energy measurement:Class 0.5s (IEC/EN 62053-22)Reactive energy:Class 2 (IEC/EN 62053-23)Current harmonic analysis:NoBuilt-in communication port:NoExpandable:NoMID certified:NoOrder code DMED305T2

Weight [g] 329.3
Qty. per package 1
Multiple qty. of packs per order 1
Package dimensions [mm] 153X117X092
Volume [cm³] 1647
Bar code [EAN13] 8013975230770
HS Code 90283019
261.5 £
ETIM for DMED305T2 Meters (EC001506)
Feature Name
Feature Value
Nominal voltage (Un) L-L (EF008872)
380 V
Nominal voltage (Un) N-L (EF008871)
220 V
Pulse rate (EF008840)
10000 Imp/kWh (kvarh)
Frequency (EF000416)
45 Hz
Nominal current (In) (EF008873)
5 A
Width in number of modular spacings (EF002950)
4
Max. current (Imax) (EF000877)
5 A
Depth (EF000049)
58 mm
Height (EF000040)
90 mm
Width (EF000008)
72 mm
With lock code (EF008846)
Yes
EEC40 signature (EF008845)
No
Measurement type load profile (EF008844)
No
Calibrated (EF008836)
Yes
Pole type (EF008843)
Three conductor/four conductor
Accuracy class (EF008842)
B
Pulse output (EF008838)
Optic
Tariff control (EF008834...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / DMED305T2 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.