

INDUSTRIAL COMPONENT DATA

8LM2TBL7133 LM2TBL7133 LOVATO DOUBLE-TOUCH ACTUATOR, SPRING RETURN, WHITE INDICATOR, Ø22MM 8LM METAL SERIES,...

Brand: LOVATO ELECTRIC | Manufacturer Part Number: 8LM2TBL7133



Manufacturer	LOVATO ELECTRIC
MPN / Reference	8LM2TBL7133
Catalog number	LM2TBL7133
Category	Front element for push button
Minimum order	5 Pcs
Document ID	EO-C828766005
Generated	2026-07-29

Product Overview

DOUBLE-TOUCH ACTUATOR, SPRING RETURN, WHITE INDICATOR, Ø22MM 8LM METAL SERIES, 2 FLUSH PUSH BUTTONS. BOTH SPRING RETURN, GREEN -RED / START - STOP

DOUBLE TOUCH BTN GREEN/RED START/STOP

Double-touch actuator, spring return, white indicator, Ø22mm 8LM series metal, 2 flush pushbuttons. Both spring return, Green - Red/START - STOP

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Pushbuttons and selector switches - LOVATO ELECTRIC
--------------	---

Additional Product Information

8LM2TBL7133

Double-touch actuator, spring return, white indicator, Ø22mm 8LM series metal, 2 flush pushbuttons. Both spring return, Green - Red/START - STOP

Technical specifications

Colour:Green/RedOrder code 8LM2TBL7133

Weight [g] 48

Qty. per package 5

Multiple qty. of packs per order 5

Package dimensions [mm] 065X046X090

Volume [cm³] 53.82
Bar code [EAN13] 8013975144480
HS Code 85365080
ETIM for 8LM2TBL7133 Low-voltage industrial controls and switchgear (EC000221)
Feature Name
Feature Value
Degree of protection (NEMA), front side (EF011961)
4X
Construction type lens (EF006253)
Other
Material front ring (EF005972)
Metal
Degree of protection (IP), front side (EF003118)
IP40
Type of button (EF001546)
Other
Colour button (EF000190)
Other
Switching function latching (EF007447)
No
With front ring (EF006014)
Yes
With protective cover (EF005500)
No
Labelled (EF001537)
No
Spring-return (EF001407)
Yes
Suitable for lighting (EF001142)
Yes
Height opening (EF004778)
22 mm
Width opening (EF004565)
22 mm
Number of command positions (EF001372)
2
Hole diameter (EF000079)
22 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / 8LM2TBL7133 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.