

INDUSTRIAL COMPONENT DATA

8LM2TB7222 LM2TB7222 LOVATO DOUBLE-TOUCH ACTUATOR, SPRING RETURN, Ø22MM 8LM METAL SERIES, 1 EXTENDED AND 1 F..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: 8LM2TB7222



Manufacturer	LOVATO ELECTRIC
MPN / Reference	8LM2TB7222
Catalog number	LM2TB7222
Category	Front element for push button
Minimum order	1 Pcs
Document ID	EO-92941AC77E
Generated	2026-08-05

Product Overview

DOUBLE-TOUCH ACTUATOR, SPRING RETURN, Ø22MM 8LM METAL SERIES, 1 EXTENDED AND 1 FLUSH PUSH BUTTONS. BOTH SPRING RETURN, BLACK - RED / I - 0

Double Metal Pushbutton with 1 protruding button and 1 grade with symbol I-0 Black/Red

Double-touch actuator, spring return, Ø22mm 8LM series metal, 1 extended and 1 flush pushbuttons. Both spring return, Black - Red/I - 0

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **LOVATO ELECTRIC > Pushbuttons and selector switches - LOVATO ELECTRIC**

Additional Product Information

8LM2TB7222

Double-touch actuator, spring return, Ø22mm 8LM series metal, 1 extended and 1 flush pushbuttons. Both spring return, Black - Red/I - 0

Technical specifications

Colour:Black/RedOrder code 8LM2TB7222

Weight [g] 47

Qty. per package 5

Multiple qty. of packs per order 5

Package dimensions [mm] 065X046X090

Volume [cm³] 53.82
Bar code [EAN13] 8013975144343
HS Code 85365080
ETIM for 8LM2TB7222 Low-voltage industrial controls and switchgear (EC000221)
Feature Name
Feature Value
Degree of protection (NEMA), front side (EF011961)
4X
Construction type lens (EF006253)
Other
Material front ring (EF005972)
Metal
Degree of protection (IP), front side (EF003118)
IP40
Type of button (EF001546)
Other
Colour button (EF000190)
Other
Switching function latching (EF007447)
No
With front ring (EF006014)
Yes
With protective cover (EF005500)
No
Labelled (EF001537)
No
Spring-return (EF001407)
Yes
Suitable for lighting (EF001142)
No
Height opening (EF004778)
22 mm
Width opening (EF004565)
22 mm
Number of command positions (EF001372)
2
Hole diameter (EF000079)
22 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / 8LM2TB7222 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.