

INDUSTRIAL COMPONENT DATA

LPCBL7123 LOVATO DOUBLE-TOUCH ACTUATOR, SPRING RETURN, WHITE INDICATOR Ø22MM PLATINUM SERIES, 2 FLUSH PUSH B..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: LPCBL7123

Manufacturer	LOVATO ELECTRIC
MPN / Reference	LPCBL7123
Catalog number	10000
Category	Front element for push button
Minimum order	1 Pcs
Document ID	EO-804B720E34
Generated	2026-08-05

Product Overview

DOUBLE-TOUCH ACTUATOR, SPRING RETURN, WHITE INDICATOR Ø22MM PLATINUM SERIES, 2 FLUSH PUSH BUTTONS. BOTH SPRING RETURN, GREEN -RED / I - 0

DOUBLE TOUCH BUTTON GREEN/RED I-O ILLUMI

Double-touch actuator, spring return, white indicator Ø22mm Platinum series chromed plastic, 2 flush pushbuttons. Both spring return, Green - Red/I - 0

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Pushbuttons and selector switches - LOVATO ELECTRIC
--------------	---

Additional Product Information

LPCBL7123

Double-touch actuator, spring return, white indicator Ø22mm Platinum series chromed plastic, 2 flush pushbuttons. Both spring return, Green - Red/I - 0

Technical specifications

Type of product:PushbuttonsType of actuator:Double-touch with two flush pushbuttonsSeries:Platinum chromed plastic Ø22mmColour:Green/RedIlluminated element:YesSymbol:YesLatching mechanism:Spring returnOrder code LPCBL7123

Weight [g] 30

Qty. per package 5

Multiple qty. of packs per order 5

Package dimensions [mm] 180X060X038

Volume [cm³] 82.08

Bar code [EAN13] 8013975198223

HS Code 85365080

25.08 £

ETIM for LPCBL7123 Low-voltage industrial controls and switchgear (EC000221)

Feature Name

Feature Value

Degree of protection (NEMA), front side (EF011961)

4X

Construction type lens (EF006253)

Other

Material front ring (EF005972)

Plastic

Degree of protection (IP), front side (EF003118)

IP67/IP69K

Type of button (EF001546)

Other

Colour button (EF000190)

Other

Switching function latching (EF007447)

No

With front ring (EF006014)

Yes

With protective cover (EF005500)

No

Labelled (EF001537)

No

Spring-return (EF001407)

Yes

Suitable for lighting (EF001142)

Yes

Height opening (EF004778)

22 mm

Width opening (EF004565)

22 mm

Number of command positions (EF001372)

2

Hole diameter (EF000079)

22 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / LPCBL7123 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.