

INDUSTRIAL COMPONENT DATA

DMG800D048 LOVATO FLUSH-MOUNT LCD MULTIMETER, EXPANDABLE, GRAPHIC 128X80 PIXEL LCD, WITH HARMONIC ANALYSIS, ..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: DMG800D048



Manufacturer	LOVATO ELECTRIC
MPN / Reference	DMG800D048
Catalog number	10000
Category	Multifunction measuring instrument
Minimum order	1 Pcs
Document ID	EO-277A841FF7
Generated	2026-08-01

Product Overview

FLUSH-MOUNT LCD MULTIMETER, EXPANDABLE, GRAPHIC 128X80 PIXEL LCD, WITH HARMONIC ANALYSIS, AUXILIARY SUPPLY 12-24-48VDC
FLUSH DIGITAL METER 96X96 12-24-48VDC
Flush-mount LCD multimeter, expandable, graphic 128x80 pixel LCD, with harmonic analysis, auxiliary supply 12-24-48VDC

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Metering instruments and current transformers - LOVATO ELECTRIC
--------------	---

Additional Product Information

DMG800D048

Flush-mount LCD multimeter, expandable, graphic 128x80 pixel LCD, with harmonic analysis, auxiliary supply 12-24-48VDC

Technical specifications

Type of product:Multifunction digital metering instrumentsType of installation:Flush mountingType of current connection:CT /5A /1AAccuracy active energy measurement:Class 0.5s (IEC/EN 62053-22)Reactive energy:Class 2 (IEC/EN 62053-23)Current harmonic analysis:31st orderBuilt-in communication port:NoExpandable:YesOrder code DMG800D048

Weight [g] 520

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 150X110X090

Volume [cm³] 1485

Bar code [EAN13] 8013975180556

HS Code 90303100

672.77 £

ETIM for DMG800D048 Modular devices for distribution board/surface mounting (EC002301)

Feature Name

Feature Value

Accuracy class reactive energy according to IEC 62053-23 (EF015239)

Other

Accuracy class active energy according to IEC 62053-22 (EF015238)

0.5S

Degree of protection (IP), front side (EF003118)

IP65

Voltage type (supply voltage) (EF002991)

DC

Display (EF000360)

LCD

Measuring range for frequency (EF009469)

45 Hz

Supply voltage DC (EF007534)

12 V

Remote display (EF016138)

No

Web server with HTTPS transfer protocol (EF015395)

No

With Role Based Access Control (RBAC) (EF015394)

No

With logging of security events (security event log) (EF015393)

No

With firmware signature (EF015392)

No

With audit logging (audit log) (EF015391)

No

Supporting protocol for OPC UA PubSub (EF015390)

No

Supporting protocol for IEC 61...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / DMG800D048 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.