

## INDUSTRIAL COMPONENT DATA

# DMG610 LOVATO FLUSH-MOUNT LCD MULTIMETER, EXPANDABLE, BACKLIGHT ICON LCD, 72X46MM/2.8X1.8", AUXILIARY SUPPLY..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: DMG610



|                 |                                    |
|-----------------|------------------------------------|
| Manufacturer    | LOVATO ELECTRIC                    |
| MPN / Reference | DMG610                             |
| Catalog number  | 10000                              |
| Category        | Multifunction measuring instrument |
| Minimum order   | 1 Pcs                              |
| Document ID     | EO-F559F81D60                      |
| Generated       | 2026-08-04                         |

## Product Overview

FLUSH-MOUNT LCD MULTIMETER, EXPANDABLE, BACKLIGHT ICON LCD, 72X46MM/2.8X1.8", AUXILIARY SUPPLY 100-440VAC / 120-250VDC, FRONT OPTICAL PORT AND RS485 PORT  
MULTIMETER LCD WITH ICONS+RS485

Flush-mount LCD multimeter, expandable, backlight icon LCD display, 72X46mm/2.8X1.8", auxiliary supply 100-440VAC/120-250VDC, front optical port and RS485 port

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Metering instruments and current transformers - LOVATO ELECTRIC

## Additional Product Information

DMG610

Flush-mount LCD multimeter, expandable, backlight icon LCD display, 72X46mm/2.8X1.8", auxiliary supply 100-440VAC/120-250VDC, front optical port and RS485 port

Technical specifications

Type of product:Multifunction digital metering instrumentsType of installation:Flush mountingType of current connection:CT /5A /1AAccuracy active energy measurement:Class 1 (IEC/EN 62053-21)Reactive energy:Class 2 (IEC/EN 62053-23)Current harmonic analysis:15th orderBuilt-in communication port:RS485Expandable:YesOrder code DMG610

Weight [g] 320

Qty. per package 1

Multiple qty. of packs per order 1  
Package dimensions [mm] 124X104X076  
Volume [cm<sup>3</sup>] 980.096  
Bar code [EAN13] 8013975211151  
HS Code 90303100  
310.63 £  
ETIM for DMG610 Modular devices for distribution board/surface mounting (EC002301)  
Feature Name  
Feature Value  
Accuracy class reactive energy according to IEC 62053-23 (EF015239)  
Other  
Accuracy class active energy according to IEC 62053-22 (EF015238)  
Other  
Degree of protection (IP), front side (EF003118)  
Other  
Voltage type (supply voltage) (EF002991)  
AC/DC  
Display (EF000360)  
LCD  
Measuring range for frequency (EF009469)  
45 Hz  
Supply voltage DC (EF007534)  
110 V  
Supply voltage AC 60 Hz (EF007533)  
100 V  
Supply voltage AC 50 Hz (EF007532)  
100 V  
Remote display (EF016138)  
No  
Web server with HTTPS transfer protocol (EF015395)  
No  
With Role Based Access Control (RBAC) (EF015394)  
No  
With logging of security events (security event log) (EF015393)  
No  
With firmware signature (EF015392)  
No  
With au...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / DMG610 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.