

INDUSTRIAL COMPONENT DATA

GA025ET6 LOVATO 25A Tripolar Switch Black Direct Control

Brand: LOVATO ELECTRIC | Manufacturer Part Number: GA025ET6



Manufacturer	LOVATO ELECTRIC
MPN / Reference	GA025ET6
Catalog number	10000
Category	Switch disconnecter
Minimum order	1 Pcs
Document ID	EO-1ACD9EDF68
Generated	2026-07-31

Product Overview

25A Tripolar Switch Black Direct Control

Three-pole assembled changeover switch, 25A

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Switch disconnectors - LOVATO ELECTRIC

Additional Product Information

GA025ET6

Three-pole assembled changeover switch, 25A

Technical specifications

Type of product:Assembled changeover switchesNumber of poles:3Type of operating voltage:ACIEC Conventional free air thermal current Ith [A]:25Type of installation:Screw on plate or 35mm DIN railOrder code GA025ET6

Weight [g] 360

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm]

Volume [cm³] 0

Bar code [EAN13] 8013975270219

HS Code 85365080

ETIM for GA025ET6 Low-voltage industrial controls and switchgear (EC000216)

Feature Name

Feature Value

Device construction (EF008240)
Built-in device fixed built-in technique
Colour control element (EF007167)
Black
Type of control element (EF006976)
Long turning handle
Type of electrical connection of main circuit (EF006819)
Frame clamp
Degree of protection (IP), front side (EF003118)
IP20
Rated operating voltage (EF001435)
400 V
Version as reversing switch (EF009408)
No
Voltage release optional (EF007491)
No
Motor drive optional (EF007386)
No
Suitable for distribution board installation (EF007262)
Yes
Suitable for front mounting 4-hole (EF007247)
No
Version as maintenance-/service switch (EF006986)
Yes
Version as safety switch (EF006985)
No
Version as main switch (EF006981)
Yes
Version as emergency stop installation (EF006959)
No
Motor drive integrated (EF006697)
No
Interlockable (EF006281)
Yes
Rated permanent current at AC-23, 400 V (EF011777)
25 A
Rated permanent current at AC-21, 400 V (EF009165)
25 A
Max. rated operation voltage U...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / GA025ET6 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.