

INDUSTRIAL COMPONENT DATA

GA063SARY LOVATO 3P-DIRECT SWITCH AC21A 63A-AC23A 45A Y/R

Brand: LOVATO ELECTRIC | Manufacturer Part Number: GA063SARY



Manufacturer	LOVATO ELECTRIC
MPN / Reference	GA063SARY
Catalog number	10000
Category	Switch disconnecter
Minimum order	1 Pcs
Document ID	EO-73E587FD5A
Generated	2026-08-02

Product Overview

3P-DIRECT SWITCH AC21A 63A-AC23A 45A Y/R

Three-pole switch disconnecter, direct operating version with yellow frontal and red handle, 63A

THREE-POLE SWITCH DISCONNECTOR, DIRECT OPERATING VERSION WITH YELLOW FRONTAL AND RED HANDLE, 63A

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Switch disconnectors - LOVATO ELECTRIC

Additional Product Information

GA063SARY

Three-pole switch disconnecter, direct operating version with yellow frontal and red handle, 63A

Technical specifications

Type of product:Switch disconnectorsNumber of poles:3Type of operating voltage:ACIEC Conventional free air thermal current Ith [A]:63UL Standard:UL60947-4-1Type of installation:Screw on plate or 35mm DIN railOrder code GA063SARY Weight [g] 148

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 083X040X080

Volume [cm³] 265.6

Bar code [EAN13] 8013975238493

HS Code 85365080

33.89 £

ETIM for GA063SARY Low-voltage industrial controls and switchgear (EC000216)

Feature Name

Feature Value

Device construction (EF008240)

Built-in device fixed built-in technique

Colour control element (EF007167)

Red

Type of control element (EF006976)

Long turning handle

Type of electrical connection of main circuit (EF006819)

Frame clamp

Degree of protection (IP), front side (EF003118)

IP20

Rated operating voltage (EF001435)

400 V

Version as reversing switch (EF009408)

No

Voltage release optional (EF007491)

No

Motor drive optional (EF007386)

No

Suitable for distribution board installation (EF007262)

Yes

Suitable for front mounting 4-hole (EF007247)

No

Version as maintenance-/service switch (EF006986)

Yes

Version as safety switch (EF006985)

No

Version as main switch (EF006981)

Yes

Version as emergency stop installation (EF006959)

Yes

Motor drive integrated (EF006697)

No

Interlockable (EF006281)

Yes

Rated permanent current at AC-23, 400 V (EF011777...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / GA063SARY with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.