

INDUSTRIAL COMPONENT DATA

GAZ016UL LOVATO UL/CSA TYPE 4/4X NON-METALLIC ENCLOSED SWITCH DISCONNECTOR, THREE POLE. WITH ROTATING RED/Y..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: GAZ016UL



Manufacturer	LOVATO ELECTRIC
MPN / Reference	GAZ016UL
Catalog number	10000
Category	Switch disconnecter
Minimum order	1 Pcs
Document ID	EO-6C5CDBF5E7
Generated	2026-08-01

Product Overview

UL/CSA TYPE 4/4X NON-METALLIC ENCLOSED SWITCH DISCONNECTOR, THREE POLE. WITH ROTATING RED/YELLOW HANDLE, 16A

3P SWITCH 16A-ENCLOS-R/Y HAND.PADLOCK

UL/CSA type 4/4X plastic enclosed switch disconnecter, three-pole. With rotating red/yellow handle, 16A. Enclosure dimensions: 100x168x97mm/3.9x6.6x3.8"

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Switch disconnectors - LOVATO ELECTRIC
--------------	--

Additional Product Information

GAZ016UL

UL/CSA type 4/4X plastic enclosed switch disconnecter, three-pole. With rotating red/yellow handle, 16A. Enclosure dimensions: 100x168x97mm/3.9x6.6x3.8"

Technical specifications

Type of product: Switch disconnectors
Number of poles: 3
Type of enclosure: Plastic enclosure - Red/Yellow handle
Type of operating voltage: ACIEC Conventional free air thermal current Ith [A]: 16
Type of installation: Enclosed
Order code GAZ016UL
Weight [g] 538

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 172X107X128

Volume [cm³] 2355.712

Bar code [EAN13] 8013975181409

HS Code 85365080

70.03 £

ETIM for GAZ016UL Low-voltage industrial controls and switchgear (EC000216)

Feature Name

Feature Value

Degree of protection (NEMA) (EF011959)

4X

Device construction (EF008240)

Complete device in housing

Colour control element (EF007167)

Red

Type of control element (EF006976)

Long turning handle

Type of electrical connection of main circuit (EF006819)

Frame clamp

Degree of protection (IP), front side (EF003118)

IP65

Rated operating voltage (EF001435)

400 V

Version as reversing switch (EF009408)

No

Voltage release optional (EF007491)

No

Motor drive optional (EF007386)

No

Suitable for distribution board installation (EF007262)

No

Suitable for front mounting 4-hole (EF007247)

No

Version as maintenance-/service switch (EF006986)

Yes

Version as safety switch (EF006985)

No

Version as main switch (EF006981)

Yes

Version as emergency stop installation (EF006959)

Yes

Motor drive integrat...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / GAZ016UL with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.