

INDUSTRIAL COMPONENT DATA

GAZ063SAUL LOVATO UL/CSA TYPE 4/4X NON-METALLIC ENCLOSED SWITCH DISCONNECTOR, THREE POLE. WITH ROTATING RED..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: GAZ063SAUL



Manufacturer	LOVATO ELECTRIC
MPN / Reference	GAZ063SAUL
Catalog number	10000
Category	Switch disconnecter
Minimum order	1 Pcs
Document ID	EO-C8BBF4BBEC
Generated	2026-07-29

Product Overview

UL/CSA TYPE 4/4X NON-METALLIC ENCLOSED SWITCH DISCONNECTOR, THREE POLE. WITH ROTATING RED/YELLOW HANDLE, 63A

3P DISC.SWITCH 63A IN UL ENC. C/W GAX61

UL/CSA type 4/4X non-metallic enclosed switch disconnecter, three-pole. With rotating red/yellow handle, 63A. Enclosure dimensions: 175x210x99mm/6.9x8.3x3.9"

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Switch disconnectors - LOVATO ELECTRIC

Additional Product Information

GAZ063SAUL

UL/CSA type 4/4X non-metallic enclosed switch disconnecter, three-pole. With rotating red/yellow handle, 63A. Enclosure dimensions: 175x210x99mm/6.9x8.3x3.9"

Technical specifications

Type of product: Switch disconnectors Number of poles: 3 Type of enclosure: Plastic enclosure - Red/Yellow handle Type of operating voltage: AC IEC Conventional free air thermal current I_{th} [A]: 63 Type of installation: Enclosed Order code

GAZ063SAUL

Weight [g] 840

Qty. per package 1

Multiple qty. of packs per order 1
Package dimensions [mm] 220X128X188
Volume [cm³] 5294.08
Bar code [EAN13] 8013975210031
HS Code 85365080
124.48 £
ETIM for GAZ063SAUL Low-voltage industrial controls and switchgear (EC000216)
Feature Name
Feature Value
Degree of protection (NEMA) (EF011959)
4X
Device construction (EF008240)
Complete device in housing
Colour control element (EF007167)
Red
Type of control element (EF006976)
Long turning handle
Type of electrical connection of main circuit (EF006819)
Frame clamp
Degree of protection (IP), front side (EF003118)
IP65
Rated operating voltage (EF001435)
400 V
Version as reversing switch (EF009408)
No
Voltage release optional (EF007491)
No
Motor drive optional (EF007386)
No
Suitable for distribution board installation (EF007262)
No
Suitable for front mounting 4-hole (EF007247)
No
Version as maintenance-/service switch (EF006986)
Yes
Version as safety switch (EF006985)
No
Version as main switch (EF006981)
Yes
Version as emergency stop installation (EF006959)
Yes
Motor dri...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / GAZ063SAUL with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.