

INDUSTRIAL COMPONENT DATA

GAZ080BUL LOVATO UL/CSA TYPE 4/4X NON-METALLIC ENCLOSED SWITCH DISCONNECTOR, THREE POLE. WITH ROTATING BLAC..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: GAZ080BUL



Manufacturer	LOVATO ELECTRIC
MPN / Reference	GAZ080BUL
Catalog number	10000
Category	Switch disconnecter
Minimum order	1 Pcs
Document ID	EO-A31AAEE674
Generated	2026-07-29

Product Overview

UL/CSA TYPE 4/4X NON-METALLIC ENCLOSED SWITCH DISCONNECTOR, THREE POLE. WITH ROTATING BLACK HANDLE, 63A

3P SWITCH 80A-ENCLOS-BLACK HAND.PADLOCK

UL/CSA type 4/4X non-metallic enclosed switch disconnecter, three-pole. With rotating black handle, 63A. Enclosure dimensions: 220x280x170mm/8.7x11x6.7"

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Switch disconnectors - LOVATO ELECTRIC
--------------	--

Additional Product Information

GAZ080BUL

UL/CSA type 4/4X non-metallic enclosed switch disconnecter, three-pole. With rotating black handle, 63A. Enclosure dimensions: 220x280x170mm/8.7x11x6.7"

Technical specifications

Type of product:Switch disconnectorsNumber of poles:3Type of enclosure:Plastic enclosure - Black HandleType of operating voltage:ACIEC Conventional free air thermal current Ith [A]:80Type of installation:EnclosedOrder code

GAZ080BUL

Weight [g] 2080

Qty. per package 1

Multiple qty. of packs per order 1
Package dimensions [mm] 295X240X225
Volume [cm³] 15930
Bar code [EAN13] 8013975181737
HS Code 85365080
ETIM for GAZ080BUL Low-voltage industrial controls and switchgear (EC000216)
Feature Name
Feature Value
Degree of protection (NEMA) (EF011959)
4X
Device construction (EF008240)
Complete device in housing
Colour control element (EF007167)
Black
Type of control element (EF006976)
Long turning handle
Type of electrical connection of main circuit (EF006819)
Frame clamp
Degree of protection (IP), front side (EF003118)
IP65
Rated operating voltage (EF001435)
400 V
Version as reversing switch (EF009408)
No
Voltage release optional (EF007491)
No
Motor drive optional (EF007386)
No
Suitable for distribution board installation (EF007262)
No
Suitable for front mounting 4-hole (EF007247)
No
Version as maintenance-/service switch (EF006986)
Yes
Version as safety switch (EF006985)
No
Version as main switch (EF006981)
Yes
Version as emergency stop installation (EF006959)
No
Motor drive integrated (EF00669...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / GAZ080BUL with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.