

INDUSTRIAL COMPONENT DATA

GE2000ET4 LOVATO 4P CHANGEOVER SWITCH AC21A 2000A

Brand: LOVATO ELECTRIC | Manufacturer Part Number: GE2000ET4



Manufacturer	LOVATO ELECTRIC
MPN / Reference	GE2000ET4
Catalog number	10000
Category	Switch disconnecter
Minimum order	1 Pcs
Document ID	EO-E7D820AFCD
Generated	2026-07-29

Product Overview

4P CHANGEOVER SWITCH AC21A 2000A

Four-pole changeover switch, 2000A

FOUR-POLE CHANGEOVER SWITCH, 2000A

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Switch disconnectors - LOVATO ELECTRIC

Additional Product Information

GE2000ET4

Four-pole changeover switch, 2000A

Technical specifications

Type of product:Changeover switchesNumber of poles:4Type of operating voltage:ACIEC Conventional free air thermal current Ith [A]:2000Type of installation:Screw on plateOrder code GE2000ET4

Weight [g] 52000

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 660X590X540

Volume [cm³] 210276

Bar code [EAN13] 8013975245828

HS Code 85365080

ETIM for GE2000ET4 Low-voltage industrial controls and switchgear (EC000216)

Feature Name
Feature Value
Device construction (EF008240)
Built-in device fixed built-in technique
Type of control element (EF006976)
Door coupling rotary drive
Type of electrical connection of main circuit (EF006819)
Bolt connection
Rated operating voltage (EF001435)
400 V
Version as reversing switch (EF009408)
No
Voltage release optional (EF007491)
No
Motor drive optional (EF007386)
No
Suitable for distribution board installation (EF007262)
No
Suitable for front mounting 4-hole (EF007247)
No
Version as maintenance-/service switch (EF006986)
Yes
Version as safety switch (EF006985)
No
Version as main switch (EF006981)
Yes
Version as emergency stop installation (EF006959)
No
Motor drive integrated (EF006697)
No
Interlockable (EF006281)
No
Rated permanent current at AC-23, 400 V (EF011777)
1250 A
Rated permanent current at AC-21, 400 V (EF009165)
2000 A
Max. rated operation voltage U_e AC (EF007355)
690 V
Rated short-time withstand current I_{cw} (EF007050)
50 kA
Rated operation...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / GE2000ET4 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.