

INDUSTRIAL COMPONENT DATA

GE3150E LOVATO 3P CHANGEOVER SWITCH AC21A 3150A

Brand: LOVATO ELECTRIC | Manufacturer Part Number: GE3150E



Manufacturer	LOVATO ELECTRIC
MPN / Reference	GE3150E
Catalog number	10000
Category	Switch disconnecter
Minimum order	1 Pcs
Document ID	EO-0B667AAAE2
Generated	2026-08-03

Product Overview

3P CHANGEOVER SWITCH AC21A 3150A

Three-pole changeover switch, 3150A

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **LOVATO ELECTRIC > Switch disconnectors - LOVATO ELECTRIC**

Additional Product Information

GE3150E

Three-pole changeover switch, 3150A

Technical specifications

Type of product:Changeover switchesNumber of poles:3Type of operating voltage:ACIEC Conventional free air thermal current Ith [A]:3150Type of installation:Screw on plateOrder code GE3150E

Weight [g] 139000

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 700X710X900

Volume [cm³] 447300

Bar code [EAN13] 8013975245859

HS Code 85365080

ETIM for GE3150E Low-voltage industrial controls and switchgear (EC000216)

Feature Name

Feature Value

Device construction (EF008240)
Built-in device fixed built-in technique
Type of control element (EF006976)
Door coupling rotary drive
Type of electrical connection of main circuit (EF006819)
Bolt connection
Rated operating voltage (EF001435)
400 V
Version as reversing switch (EF009408)
No
Voltage release optional (EF007491)
No
Motor drive optional (EF007386)
No
Suitable for distribution board installation (EF007262)
No
Suitable for front mounting 4-hole (EF007247)
No
Version as maintenance-/service switch (EF006986)
Yes
Version as safety switch (EF006985)
No
Version as main switch (EF006981)
Yes
Version as emergency stop installation (EF006959)
No
Motor drive integrated (EF006697)
No
Interlockable (EF006281)
No
Rated permanent current at AC-23, 400 V (EF011777)
1800 A
Rated permanent current at AC-21, 400 V (EF009165)
3150 A
Max. rated operation voltage Ue AC (EF007355)
690 V
Rated short-time withstand current Icw (EF007050)
50 kA
Rated operation pow...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / GE3150E with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.