

INDUSTRIAL COMPONENT DATA

GL0200C1UL LOVATO Disconnecter three-pole bottom cabinet 200A AC21A C1 UL98

Brand: LOVATO ELECTRIC | Manufacturer Part Number: GL0200C1UL



Manufacturer	LOVATO ELECTRIC
MPN / Reference	GL0200C1UL
Catalog number	10000
Category	Switch disconnector
Minimum order	1 Pcs
Document ID	EO-7DFC5DE85E
Generated	2026-08-04

Product Overview

Disconnecter three-pole bottom cabinet 200A AC21A C1 UL98

3P SWITCH DISCONNECTOR 200A UL C1

Three-pole switch disconnector, UL98, 200A

THREE-POLE SWITCH DISCONNECTOR, UL98, 200A

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Switch disconnectors - LOVATO ELECTRIC
--------------	--

Additional Product Information

GL0200C1UL

Three-pole switch disconnector, UL98, 200A

Technical specifications

Type of product: Switch disconnectors
Number of poles: 3
Type of operating voltage: AC
IEC Conventional free air thermal current I_{th} [A]: 200
UL Standard: UL98
Type of installation: Screw on plate or 35mm DIN rail
Order code GL0200C1UL

Weight [g] 1900

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 245X168X105

Volume [cm³] 4321.8

Bar code [EAN13] 8013975228647

HS Code 85365080

213.16 £

ETIM for GL0200C1UL Low-voltage industrial controls and switchgear (EC000216)

Feature Name

Feature Value

Device construction (EF008240)

Built-in device fixed built-in technique

Type of control element (EF006976)

Door coupling rotary drive

Type of electrical connection of main circuit (EF006819)

Bolt connection

Rated operating voltage (EF001435)

400 V

Version as reversing switch (EF009408)

No

Voltage release optional (EF007491)

No

Motor drive optional (EF007386)

No

Suitable for distribution board installation (EF007262)

No

Suitable for front mounting 4-hole (EF007247)

No

Version as maintenance-/service switch (EF006986)

Yes

Version as safety switch (EF006985)

No

Version as main switch (EF006981)

Yes

Version as emergency stop installation (EF006959)

No

Motor drive integrated (EF006697)

No

Interlockable (EF006281)

No

Max. rated operation voltage Ue AC (EF007355)

600 V

Rated short-time withstand current Icw (EF007050)

6 kA

Rated operation power at AC-23, 400 V (EF007027)

110 kW

Number of auxiliary cont...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / GL0200C1UL with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.