

INDUSTRIAL COMPONENT DATA

GL0800C1UL LOVATO 3P SWITCH DISCONNECTOR 800A UL C1

Brand: LOVATO ELECTRIC | Manufacturer Part Number: GL0800C1UL



Manufacturer	LOVATO ELECTRIC
MPN / Reference	GL0800C1UL
Catalog number	GL0800C1UL
Category	Switch disconnecter
Minimum order	1 Pcs
Document ID	EO-DE683B20EF
Generated	2026-08-03

Product Overview

3P SWITCH DISCONNECTOR 800A UL C1
Three-pole switch disconnecter, UL98, 800A
INT. SEZIONATORE 3P 800A UL C1

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Switch disconnectors - LOVATO ELECTRIC
--------------	--

Additional Product Information

GL0800C1UL

Three-pole switch disconnecter, UL98, 800A

Technical specifications

Type of product:Switch disconnectorsNumber of poles:3Type of operating voltage:ACIEC Conventional free air thermal current Ith [A]:800UL Standard:UL98Type of installation:Screw on plateOrder code GL0800C1UL

Weight [g] 7950

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 390X263X178

Volume [cm³] 18257

Bar code [EAN13] 8013975312100

HS Code 85365080

1233.74 £

ETIM for GL0800C1UL Low-voltage industrial controls and switchgear (EC000216)

Feature Name

Feature Value

Type of electrical connection of main circuit (EF006819)

Bolt connection

Type of control element (EF006976)

Rotating button

Colour control element (EF007167)

Grey

Device construction (EF008240)

Complete device in housing

Rated operating voltage (EF001435)

0 V

Version as reversing switch (EF009408)

No

Voltage release optional (EF007491)

No

Motor drive optional (EF007386)

No

Suitable for intermediate mounting (EF007264)

Yes

Suitable for distribution board installation (EF007262)

No

Suitable for front mounting centre (EF007248)

No

Suitable for front mounting 4-hole (EF007247)

No

Version as maintenance-/service switch (EF006986)

Yes

Version as safety switch (EF006985)

No

Version as main switch (EF006981)

Yes

Version as emergency stop installation (EF006959)

No

Motor drive integrated (EF006697)

No

Interlockable (EF006281)

No

Rated permanent current at AC-23, 400 V (EF011777)

800 A

Rated permanent current at AC-21, 40...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / GL0800C1UL with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.