

INDUSTRIAL COMPONENT DATA

GLC0315C1 LOVATO Switch Tripolar fund closet 315A AC21A C1

Brand: LOVATO ELECTRIC | Manufacturer Part Number: GLC0315C1

Manufacturer	LOVATO ELECTRIC
MPN / Reference	GLC0315C1
Catalog number	10000
Category	Switch disconnecter
Minimum order	1 Pcs
Document ID	EO-6AA1912669
Generated	2026-08-04

Product Overview

Switch Tripolar fund closet 315A AC21A C1
3P CHANGEOVER SWITCH 315A AC21A C1
Three-pole changeover switch, IEC/EN, 315A
THREE-POLE CHANGEOVER SWITCH, IEC/EN, 315A

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Switch disconnectors - LOVATO ELECTRIC
--------------	--

Additional Product Information

GLC0315C1
Three-pole changeover switch, IEC/EN, 315A
Technical specifications
Type of product:Changeover switchesNumber of poles:3Type of operating voltage:ACIEC Conventional free air thermal current Ith [A]:315Type of installation:Screw on plateOrder code GLC0315C1
Weight [g] 3548.4
Qty. per package 1
Multiple qty. of packs per order 1
Package dimensions [mm] 160X227X200
Volume [cm³] 7264
Bar code [EAN13] 8013975242223
HS Code 85365080

639.48 £

ETIM for GLC0315C1 Low-voltage industrial controls and switchgear (EC000216)

Feature Name

Feature Value

Device construction (EF008240)

Built-in device fixed built-in technique

Type of control element (EF006976)

Door coupling rotary drive

Type of electrical connection of main circuit (EF006819)

Bolt connection

Rated operating voltage (EF001435)

400 V

Version as reversing switch (EF009408)

No

Voltage release optional (EF007491)

No

Motor drive optional (EF007386)

No

Suitable for distribution board installation (EF007262)

No

Suitable for front mounting 4-hole (EF007247)

No

Version as maintenance-/service switch (EF006986)

Yes

Version as safety switch (EF006985)

No

Version as main switch (EF006981)

Yes

Version as emergency stop installation (EF006959)

No

Motor drive integrated (EF006697)

No

Interlockable (EF006281)

No

Rated permanent current at AC-23, 400 V (EF011777)

315 A

Rated permanent current at AC-21, 400 V (EF009165)

315 A

Max. rated operation voltage Ue AC (EF007355)

690 V

Rated short-time withstand current Icw (EF007050)

6 kA

Rat...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / GLC0315C1 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.