

## INDUSTRIAL COMPONENT DATA

# GLC0630C1 LOVATO Tetrapolar switch back cabinet 315A AC21A C1

Brand: LOVATO ELECTRIC | Manufacturer Part Number: GLC0630C1



|                 |                     |
|-----------------|---------------------|
| Manufacturer    | LOVATO ELECTRIC     |
| MPN / Reference | GLC0630C1           |
| Catalog number  | 10000               |
| Category        | Switch disconnecter |
| Minimum order   | 1 Pcs               |
| Document ID     | EO-C121729999       |
| Generated       | 2026-08-01          |

## Product Overview

Tetrapolar switch back cabinet 315A AC21A C1

Three-pole changeover switch, IEC/EN, 630A

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path LOVATO ELECTRIC &gt; Switch disconnectors - LOVATO ELECTRIC

## Additional Product Information

GLC0630C1

Three-pole changeover switch, IEC/EN, 630A

Technical specifications

Type of product:Changeover switchesNumber of poles:3Type of operating voltage:ACIEC Conventional free air thermal current Ith [A]:630Type of installation:Screw on plateOrder code GLC0630C1

Weight [g] 7740

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 330X270X240

Volume [cm³] 21384

Bar code [EAN13] 8013975267080

HS Code 85365080

852.65 £

ETIM for GLC0630C1 Low-voltage industrial controls and switchgear (EC000216)

Feature Name

Feature Value

Rated operating voltage (EF001435)

400 V

Rated permanent current at AC-23, 400 V (EF011777)

630 A

Rated permanent current at AC-21, 400 V (EF009165)

630 A

Max. rated operation voltage Ue AC (EF007355)

690 V

Rated short-time withstand current Icw (EF007050)

12.5 kA

Rated operation power at AC-23, 400 V (EF007027)

355 kW

Number of auxiliary contacts as change-over contact (EF003531)

0

Conditioned rated short-circuit current Iq (EF001444)

80 kA

Number of poles (EF001391)

3

Number of auxiliary contacts as normally closed contact (EF001377)

0

Number of auxiliary contacts as normally open contact (EF001376)

0

Version as reversing switch (EF009408)

No

Voltage release optional (EF007491)

No

Motor drive optional (EF007386)

No

Suitable for distribution board installation (EF007262)

No

Suitable for front mounting 4-hole (EF007247)

No

Version as maintenance-/service switch (EF006986)

Yes

Version as safety switch (EF006985)

No

Version as main sw...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / GLC0630C1 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.