

INDUSTRIAL COMPONENT DATA

GLC0630T4C1 LOVATO Tetrapolar switch back cabinet 630A AC21A C1

Brand: LOVATO ELECTRIC | Manufacturer Part Number: GLC0630T4C1



Manufacturer	LOVATO ELECTRIC
MPN / Reference	GLC0630T4C1
Catalog number	10000
Category	Switch disconnecter
Minimum order	1 Pcs
Document ID	EO-B159999A0B
Generated	2026-08-02

Product Overview

Tetrapolar switch back cabinet 630A AC21A C1

Four-pole changeover switch, IEC/EN, 630A

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Switch disconnectors - LOVATO ELECTRIC
--------------	--

Additional Product Information

GLC0630T4C1

Four-pole changeover switch, IEC/EN, 630A

Technical specifications

Type of product:Changeover switchesNumber of poles:4Type of operating voltage:ACIEC Conventional free air thermal current Ith [A]:630Type of installation:Screw on plateOrder code GLC0630T4C1

Weight [g] 9400

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 330X270X240

Volume [cm³] 21384

Bar code [EAN13] 8013975267134

HS Code 85365080

1008.96 £

ETIM for GLC0630T4C1 Low-voltage industrial controls and switchgear (EC000216)

Feature Name	
Feature Value	
Rated operating voltage (EF001435)	400 V
Rated permanent current at AC-23, 400 V (EF011777)	630 A
Rated permanent current at AC-21, 400 V (EF009165)	630 A
Max. rated operation voltage Ue AC (EF007355)	690 V
Rated short-time withstand current Icw (EF007050)	12.5 kA
Rated operation power at AC-23, 400 V (EF007027)	355 kW
Number of auxiliary contacts as change-over contact (EF003531)	0
Conditioned rated short-circuit current Iq (EF001444)	80 kA
Number of poles (EF001391)	4
Number of auxiliary contacts as normally closed contact (EF001377)	0
Number of auxiliary contacts as normally open contact (EF001376)	0
Version as reversing switch (EF009408)	No
Voltage release optional (EF007491)	No
Motor drive optional (EF007386)	No
Suitable for distribution board installation (EF007262)	No
Suitable for front mounting 4-hole (EF007247)	No
Version as maintenance-/service switch (EF006986)	Yes
Version as safety switch (EF006985)	No
Version as m...	

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / GLC0630T4C1 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.